
SOSData Dictionary

February 23, 2000

This dictionary contains all the user-accessable SOS **Office Manager for Windows** tables as well as many of the pre-defined views. It also contains tables that are reserved for use by SOS's **Case Manager for Windows** product. The specific definitions for all available views can be found in a separate document, SOSVIEWS.PDF.

AdjustX FILE, NAME('sos.AdjustX'), PRE(ADJ)

ADJpkAdjXNum	KEY(ADJ:AdjXNum), OPT, PRIMARY
ADJiAdjCode	KEY(ADJ:AdjCode), OPT
ADJiAdjDesc	KEY(ADJ:Descrip), OPT
AdjXNum	LONG - Primary key value
AdjCode	STRING(3) - Shorthand code for adjustment
Descrip	STRING(30) - Adjustment description
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

ApptBlocks FILE, NAME('SOS.ApptBlocks'), PRE(ABL), BINDABLE

PrimaryKey	KEY(ABL:ApptBlockNum), PRIMARY
ABLiProviderNum	KEY(ABL:ProviderNum, ABL:ApptBlockNum)
ApptBlockNum	LONG -
ProviderNum	LONG -
StartDate	DATE -
EndDate	DATE -
StartTime	TIME -
EndTime	TIME -
AddDate	DATE -
AddTime	TIME -
AddUser	STRING(6) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	STRING(6) -

ApptDetails FILE, NAME('SOS.ApptDetails'), PRE(APD), BINDABLE

PrimaryKey	KEY(APD:ApptDetailNum), PRIMARY
APDiDate	KEY(APD:ApptDate, APD:ApptStartTime, APD:ApptStatus, APD:ApptDetailNum)
APDiPatientApptDate	KEY(APD:PtNum, APD:ApptDate, APD:ApptStartTime, APD:ApptDetailNum)
APDiPatientStatus	KEY(APD:PtNum, APD:ApptStatus, APD:ApptDate, APD:ApptStartTime, APD:ApptDetailNum)
APDiStatusPatient	KEY(APD:ApptStatus, APD:PtNum, APD:ApptDate, APD:ApptStartTime, APD:ApptDetailNum)
ApptDetailNum	LONG -
PtNum	LONG -
LastName	STRING(25) -

FirstName	STRING(20)	-
SiteNum	LONG	-
ResourceNum	LONG	-
ServiceNum	LONG	-
ApptTypeNum	LONG	-
ApptDate	DATE	-
ApptStartTime	TIME	-
ApptEndTime	TIME	-
CancelFlag	BYTE	-
DaySheetImp	BYTE	-
ApptStatus	STRING(12)	-
Phone1Desc	STRING(10)	-
Phone1	STRING(20)	-
Phone2Desc	STRING(10)	-
Phone2	STRING(20)	-
Remarks	STRING(1023)	-
AddDate	DATE	-
AddTime	TIME	-
AddUser	STRING(6)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	STRING(6)	-

ApptDetails1 FILE, NAME('SOS.ApptDetails'), PRE(APD1), BINDABLE

PrimaryKey	KEY(APD1:ApptDetailNum), PRIMARY
APDiDate	KEY(APD1:ApptDate, APD1:ApptStartTime, APD1:ApptStatus,
APD1:ApptDetailNum)	
APDiPatientApptDate	KEY(APD1:PtNum, APD1:ApptDate, APD1:ApptStartTime, APD1:ApptDetailNum)
APDiPatientStatus	KEY(APD1:PtNum, APD1:ApptStatus, APD1:ApptDate, APD1:ApptStartTime,
APD1:ApptDetailNum)	
APDiStatusPatient	KEY(APD1:ApptStatus, APD1:PtNum, APD1:ApptDate, APD1:ApptStartTime,
APD1:ApptDetailNum)	
ApptDetailNum	LONG -
PtNum	LONG -
LastName	STRING(25) -
FirstName	STRING(20) -
SiteNum	LONG -
ResourceNum	LONG -
ServiceNum	LONG -
ApptTypeNum	LONG -
ApptDate	DATE -
ApptStartTime	TIME -
ApptEndTime	TIME -
CancelFlag	BYTE -
DaySheetImp	BYTE -
ApptStatus	STRING(12) -
Phone1Desc	STRING(10) -
Phone1	STRING(20) -
Phone2Desc	STRING(10) -
Phone2	STRING(20) -
Remarks	STRING(1023) -
AddDate	DATE -
AddTime	TIME -
AddUser	STRING(6) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	STRING(6) -

Apptexportview FILE, NAME('SOS.apptexportview'), PRE(aev), BINDABLE

apptdate	DATE	-
apptdetailnum	LONG	-
daysheetimp	BYTE	-
apptstatus	STRING(12)	-
fullname	STRING(46)	-
ptnum	LONG	-
srvcode	STRING(9)	-
servicenum	LONG	-
provcode	STRING(3)	-
providernum	LONG	-
apptslotnum	LONG	-

ApptSlotDetails **FILE, NAME('SOS.ApptSlotDetails'), PRE(ASD), BINDABLE**

PrimaryKey	KEY(ASD:ASDNum), PRIMARY	
ASDiDate	KEY(ASD:ApptDate, ASD:ApptStartTime, ASD:ASDNum)	
ASDiDetailsSlot	KEY(ASD:ApptDetailNum, ASD:ApptSlotNum, ASD:ASDNum)	
ASDiSlotDetail	KEY(ASD:ApptSlotNum, ASD:ApptDetailNum, ASD:ASDNum)	
ASDNum	LONG	-
ApptDetailNum	LONG	-
ApptSlotNum	LONG	-
ApptDate	DATE	-
ApptStartTime	TIME	-
ApptEndTime	TIME	-

ApptSlotDetailsHold **FILE, NAME('SOS.ApptSlotDetailsHold'), PRE(ASD2), BINDABLE**

PrimaryKey	KEY(ASD2:ASDNum), PRIMARY	
ASDiDate	KEY(ASD2:ApptDate, ASD2:ApptStartTime, ASD2:ASDNum)	
ASDiDetailsSlot	KEY(ASD2:ApptDetailNum, ASD2:ApptSlotNum, ASD2:ASDNum)	
ASDiSlotDetail	KEY(ASD2:ApptSlotNum, ASD2:ApptDetailNum, ASD2:ASDNum)	
ASDNum	LONG	-
ApptDetailNum	LONG	-
ApptSlotNum	LONG	-
ApptDate	DATE	-
ApptStartTime	TIME	-
ApptEndTime	TIME	-

ApptSlots **FILE, NAME('SOS.ApptSlots'), PRE(APS)**

PrimaryKey	KEY(APS:ApptSlotNum), PRIMARY	
APSiDate	KEY(APS:SlotDate, APS:ProviderNum, APS:StartTime)	
APSiDay	KEY(APS:SlotDay, APS:SlotDate, APS:StartTime, APS:ProviderNum)	
APSiProvider	KEY(APS:ProviderNum, APS:SlotDate, APS:StartTime)	
ApptSlotNum	LONG	-
SlotOpen	BYTE	-
ApptMax	LONG	-
SlotDate	DATE	-
SlotDay	BYTE	-
StartTime	TIME	-
EndTime	TIME	-
TimeIncrement	BYTE	- From ApptTemplateSlots when rec was created.
ProviderNum	LONG	-
DefaultSite	LONG	- Default site num for appts in this slot
DefaultResource	LONG	- Default resource number for appts in this slot.
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-

UpdTime	TIME	-
UpdUser	CSTRING(7)	-

ApptsView **FILE, NAME('SOS.ApptsView'), PRE(APV)**

PrimaryKey	KEY(APV:ASDNum),	PRIMARY
APTiPatientApptDate	KEY(APV:PtNum, APV:ApptDate, APV:ApptStartTime, APV:ASDNum)	
APTiPatientStatus	KEY(APV:PtNum, APV:ApptStatus, APV:ApptDate, APV:ApptStartTime,	
APV:ASDNum)		
APTiApptSlot	KEY(APV:ApptSlotNum, APV:ApptDate, APV:ApptStartTime, APV:ASDNum)	
APTiDate	KEY(APV:ApptDate, APV:ApptStartTime, APV:ApptStatus, APV:ASDNum)	
APTiRepeatApptNum	KEY(APV:RepeatApptNum, APV:ASDNum)	
APTiStatusPatient	KEY(APV:ApptStatus, APV:PtNum, APV:ApptDate, APV:ApptStartTime,	
APV:ASDNum)		
ASDNum	LONG	-
ApptSlotNum	LONG	-
RepeatApptNum	LONG	-
PtNum	LONG	-
LastName	CSTRING(26)	- Patient Last Name from PATIENTS
FirstName	CSTRING(21)	- Patient First Name from PATIENTS
SiteNum	LONG	-
ResourceNum	LONG	-
ServiceNum	LONG	-
ApptTypeNum	LONG	-
ApptDate	DATE	-
ApptStartTime	TIME	-
ApptEndTime	TIME	-
CancelFlag	BYTE	-
ApptStatus	CSTRING(13)	-
Phone1Desc	CSTRING(11)	-
Phone1	CSTRING(21)	-
Phone2Desc	CSTRING(11)	-
Phone2	CSTRING(21)	-
Remarks	CSTRING(1024)	-
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-

ApptTemplates **FILE, NAME('SOS.ApptTemplates'), PRE(AT)**

PrimaryKey	KEY(AT:TemplateNum),	PRIMARY
ATiProvider	KEY(AT:ProviderNum, AT:DayOfWeek)	
TemplateNum	LONG	-
TemplateName	CSTRING(41)	-
ProviderNum	LONG	-
DayOfWeek	BYTE	-
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-

ApptTemplateSlots **FILE, NAME('SOS.ApptTemplateSlots'), PRE(ATS)**

PrimaryKey	KEY(ATS:TemplateSlotNum),	PRIMARY
------------	---------------------------	---------

ATSiTemplate	KEY(ATS:TemplateNum, ATS:StartTime)	
ATSiProviderNum	KEY(ATS:ProviderNum, ATS:DayOfWeek, ATS:StartTime)	
TemplateSlotNum	LONG	-
TemplateNum	LONG	-
StartTime	TIME	-
EndTime	TIME	-
TimeIncrement	BYTE	- Time increment for day view in minutes
ApptMax	LONG	- Max number of appts for this slot.
ProviderNum	LONG	- Denormalized provider number from AT:
DayOfWeek	BYTE	- Denormalized from AT:
DefaultSite	LONG	- Default site for appointments in this slot
DefaultResource	LONG	- Default resource in appts in this slot
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-

ApptTypes	FILE, NAME('SOS.ApptTypes'), PRE(ATY)	
PrimaryKey	KEY(ATY:ApptTypeNum),	PRIMARY
ATYiType	KEY(ATY:ApptType)	
ApptTypeNum	LONG	-
ApptType	CSTRING(13)	-
ApptDesc	CSTRING(41)	-
Length	LONG	-
PrintSuperBill	BYTE	-
PrintCheckin	BYTE	-
Daysheet	BYTE	-
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-
ApptTypeUFG	LONG	- Unselected foreground color to display on views
ApptTypeUBG	LONG	- Unselected background color to display on views
ApptTypeFG	LONG	- Selected foreground color to display on views
ApptTypeBG	LONG	- Selected background color to display on views

BillsChgView	FILE, NAME('sos.BillsChgView'), PRE(BCHV)	
ChgSplNum	LONG	-
JNum	LONG	-
PtPayorNum	LONG	-
PtNum	LONG	-
ChgSplDate	DATE	-
ChgSplAmt	DECIMAL(7, 2)	-
ProviderNum	LONG	-
ServiceNum	LONG	-
TranDate	DATE	-
Amount	DECIMAL(7, 2)	-
DayBatch	LONG	-
PayorNum	LONG	-
LicNum	LONG	-
LastName	STRING(25)	- Pt last name
FirstName	STRING(20)	- Patient first name
MidInit	STRING(1)	- Patient middle initial
ID	STRING(20)	- User-assigned patient id
ProvCode	STRING(3)	- Shorthand provider code

PtProviderNum	LONG	-
PtCategCode	STRING(3)	- Patient category code
PtCategNum	LONG	-

BillsCreView FILE, NAME('sos.BillsCreView'), PRE(BCRV)

CrSplNum	LONG	-
JNum	LONG	-
ChgSplNum	LONG	-
PtNum	LONG	-
PtPayorNum	LONG	-
CheckNum	LONG	-
CCNum	LONG	-
AdjxNum	LONG	-
PayorNum	LONG	-
DayBatch	LONG	-
TranDate	DATE	-
Amount	DECIMAL(7, 2)	-
LicNum	LONG	-
LastName	STRING(25)	- Pt last name
FirstName	STRING(20)	- Patient first name
MidInit	STRING(1)	- Patient middle initial
ID	STRING(20)	- User-assigned patient id
ProvCode	STRING(3)	- Shorthand provider code
PtProviderNum	LONG	-
PtCategCode	STRING(3)	- Patient category code
PtCategNum	LONG	-
ChgSplNum2	LONG	-
ChgSplDate	DATE	-
ChgSplAmt	DECIMAL(7, 2)	-
ProviderNum	LONG	-
ServiceNum	LONG	-
JNum2	LONG	-
TranDate2	DATE	-
Amount2	DECIMAL(7, 2)	-

CarrierCategs FILE, NAME('sos.CarrierCategs'), PRE(CCG)

CCGpkCarrierCategNum	KEY(CCG:CarrierCategNum), OPT, PRIMARY	
CCGiCategCode	KEY(CCG:CategCode), OPT	
CCGiCategDesc	KEY(CCG:CategDesc), OPT	
CarrierCategNum	LONG	- Internal unique id
CategCode	CSTRING(13)	- Shorthand code
CategDesc	CSTRING(31)	- Description
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

Carriers FILE, NAME('sos.Carriers'), PRE(INS)

INSpkCarrierNum	KEY(INS:CarrierNum), OPT, PRIMARY	
INSfkPayorNum	KEY(INS:PayorNum), OPT	
INSfkUDDataNum	KEY(INS:UDDataNum), OPT	
CarrierNum	LONG	- primary key value
PayorNum	LONG	- Link to Payors file
Contact	CSTRING(26)	- Contact person

WhichRefID	STRING(1)	- Use which Ref ID?
WhichFacId	STRING(1)	- Use which facility ID?
IDQual	STRING(1)	- Instream - what kind of supplier ID
FormType	CSTRING(13)	- For batch output of claims
DxRef	BYTE	- Use ref number rather than dx code
InsFlag	STRING(1)	- Medicare, Medicaid, Champus, Feca
Coverage	STRING(1)	- Coverage Type
POSFlag	STRING(1)	- Place of Service code type
SameRevCode	BYTE	- Combine details w/ same revcod
CompanyNum	CSTRING(10)	- NEIC company number
OfficeNum	CSTRING(5)	- Payment office number
MedigapNumber	CSTRING(11)	- Medigap number unique for this carrier
CopySSN	BYTE	- Use patient's SS# as insured's ID on ADD
UDDDataNum	LONG	-
AmtPaid	STRING(1)	- Amount paid for HCFA box 29
Memo	CSTRING(241)	- Text area
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
BalDue	STRING(1)	- Box 30 print option

Checks FILE, NAME('sos.Checks'), PRE(CHE)

CHEpkCheckNum	KEY(CHE:CheckNum), OPT, PRIMARY
CHEfkPayorNum	KEY(CHE:PayorNum), DUP, OPT
CHEiCheckRef	KEY(CHE:PayorNum, CHE:ChkRefNum), DUP, OPT
CHEiRefNum	KEY(CHE:ChkRefNum, CHE:CheckNum), OPT
CHEiPayorNum	KEY(CHE:PayorNum, CHE:CheckNum), OPT
CheckNum	LONG - Primary key value
PayorNum	LONG - Foreign key to Payors
ChkRefNum	STRING(25) - Number or identifier on check or voucher
ChkDate	DATE - Date on check
ChkAmt	DECIMAL(7, 2) - Amount of check
ChkAmtLeft	DECIMAL(7, 2) - Portion of check yet to be applied
Descrip	CSTRING(30) - Remark
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')
UpdUser	CSTRING(7) - User who last updated entry
IgnoreFlag	BYTE -

ChsView FILE, NAME('sos.chsview'), PRE(CSV)

CSVpkJNum	KEY(CSV:JNum), DUP, OPT
CSVpkChgSplNum	KEY(CSV:ChgSplNum), NOCASE, OPT
ChgSplDate	DATE -
ChgSplAmt	PDECIMAL(7, 2) -
ChgSplBal	PDECIMAL(7, 2) -
ChgSplNum	LONG -
JNum	LONG -
PtAuthNum	LONG -
PtPayorNum	LONG -
PtAuthWarning	BYTE -
FirstBilled	DATE - Date of first billing to this payor
LastBilled	DATE - Date of most recent billing to payor
SysTranFlag	STRING(2) -

AuthNum	CSTRING(31)	-
PayorName	CSTRING(41)	-
FirstName	STRING(15)	-
PayorNum	LONG	-
PayorType	STRING(1)	-

ChsView2 **FILE, NAME('sos.chsview2'), PRE(CSV2)**

CSV2pkJNum	KEY(CSV2:JNum), DUP, OPT
CSV2iChgSplNum	KEY(CSV2:ChgSplNum), OPT
TranDate	DATE -
SrvCode	STRING(9) -
ProvCode	STRING(3) -
ChgSplAmt	PDECIMAL(7, 2) -
ChgSplBal	PDECIMAL(7, 2) -
ChgSplNum	LONG -
ChgSplDate	DATE -
JNum	LONG -
PtPayorNum	LONG -
Description	CSTRING(31) -

ChsView3 **FILE, NAME('sos.chsview3'), PRE(CSV3)**

CSV3pkJNum	KEY(CSV3:JNum), DUP, OPT
CSV3pkChgSplNum	KEY(CSV3:ChgSplNum), NOCASE, OPT
ChgSplDate	DATE -
ChgSplAmt	PDECIMAL(7, 2) -
ChgSplBal	PDECIMAL(7, 2) -
ChgSplNum	LONG -
JNum	LONG -
PtAuthNum	LONG -
PtPayorNum	LONG -
PtAuthWarning	BYTE -
MCTally	STRING(1) -
SysCreated	LONG -
SysTranFlag	STRING(2) -
AuthNum	CSTRING(31) -
PayorName	CSTRING(41) -
FirstName	STRING(15) -
PayorNum	LONG -
PayorType	STRING(1) -

Cities **FILE, NAME('sos.cities'), PRE(CIT)**

CITpkCITYNUM	KEY(CIT:CityNum), OPT, PRIMARY
CITiCITYNAME	KEY(CIT:CityName), DUP, OPT
CITiZip	KEY(CIT:Zip, CIT:CityNum), OPT
CityNum	LONG - Primary key
CityName	STRING(30) - City name
State	STRING(2) -
Zip	STRING(10) -
ADDDATE	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
ADDUSER	CSTRING(7) -
UPDDATE	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UPDUSER	CSTRING(7) -

ClaimBatch **FILE, NAME('sos.ClaimBatch'), PRE(BAT)**

BATpkBatchNum	KEY(BAT:BatchNum), OPT, PRIMARY
BATiBatchNumDesc	KEY(-BAT:BatchNum), OPT
BatchNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
CarrierCateg	STRING(12) -
DateFrom	DATE -
DateTo	DATE -

Claimhdr **FILE, NAME('sos.ClaimHdr'), PRE(HDR)**

HDRpkLinknum	KEY(HDR:LINKNUM), NOCASE, OPT, PRIMARY
HDRiUserLinknum	KEY(HDR:LicNum, HDR:USERNUM, HDR:LINKNUM), OPT
HDRiInscOpt	KEY(HDR:LicNum, HDR:USERNUM, HDR:INSCONAME, HDR:InscNum, HDR:PTLASTNAME, HDR:PTFIRSTNAME, HDR:PTMIDINIT, HDR:PTID), DUP, OPT
LicNum	LONG -
LINKNUM	LONG -
USERNUM	LONG -
InscNum	LONG - Provides a break value on duplicate carrier names
INSCONAME	STRING(80) -
INSCOADD1	CSTRING(81) -
INSCOADD2	CSTRING(81) -
INSCOADD3	CSTRING(81) -
INSCOCITY	CSTRING(21) -
INSCOSTATE	STRING(2) -
INSCOZIP	CSTRING(11) -
INSFLAGMC	STRING(1) -
INSFLAGMA	STRING(1) -
INSFLAGCH	STRING(1) -
INSFLAGCV	STRING(1) -
INSFLAGGR	STRING(1) -
INSFLAGFE	STRING(1) -
INSFLAGOT	STRING(1) -
COMPANYNUM	CSTRING(10) -
OFFICENUM	CSTRING(5) -
IDQual	STRING(1) -
Coverage	STRING(1) -
JOBINJURY	STRING(1) -
JOBINJURY	STRING(1) -
JOBINJURY	STRING(1) -
ACCIDENT	STRING(1) -
ACCIDAUY	STRING(1) -
ACCIDAUN	STRING(1) -
ACCIDOTY	STRING(1) -
ACCIDOTN	STRING(1) -
ACCIDSTATE	STRING(2) -
ACCIDENTIND	STRING(1) -
SOFDATE	CSTRING(9) -
ONSETDATE	DATE -
ONSETMONTH	STRING(2) -
ONSETDAY	STRING(2) -
ONSETYEAR	CSTRING(5) -
ONSETIND	STRING(1) -
SIMDATE	DATE -
SIMMONTH	STRING(2) -
SIMDAY	STRING(2) -
SIMYEAR	CSTRING(5) -
DisabType	STRING(1) -
DISFROMDATE	DATE -
DISFROMMONTH	STRING(2) -
DISFROMDAY	STRING(2) -
DISFROMYEAR	CSTRING(5) -

DISTODATE	DATE	-
DISTOMONTH	STRING(2)	-
DISTODAY	STRING(2)	-
DISTOYEAR	CSTRING(5)	-
REFNAME	CSTRING(26)	-
REFNAME	CSTRING(13)	-
REFMIDINIT	STRING(1)	-
REFPHYS	CSTRING(27)	-
REFADDRESS	CSTRING(33)	-
REFCITY	CSTRING(21)	-
REFSTATE	STRING(2)	-
REFZIP	CSTRING(11)	-
REFID	CSTRING(14)	-
RefIDQual	STRING(1)	-
ENTERHOSP	DATE	-
ENTERHOSPMON	STRING(2)	-
ENTERHOSPDAY	STRING(2)	-
ENTERHOSPYR	CSTRING(5)	-
LEFTHOSP	DATE	-
LEFTHOSPMON	STRING(2)	-
LEFTHOSPDAY	STRING(2)	-
LEFTHOSPYR	CSTRING(5)	-
OUTSIDELAB	CSTRING(8)	-
OUTSIDELABY	STRING(1)	-
OUTSIDELABN	STRING(1)	-
LABCHARGES	CSTRING(8)	-
DX1	CSTRING(7)	-
DX1DESC	CSTRING(20)	-
DX2	CSTRING(7)	-
DX2DESC	CSTRING(20)	-
DX3	CSTRING(7)	-
DX3DESC	CSTRING(11)	-
DX4	CSTRING(7)	-
DX4DESC	CSTRING(11)	-
EMPLOYERID	CSTRING(11)	-
SSNUMBER	CSTRING(12)	-
TAXID	CSTRING(12)	-
SSNBOX	STRING(1)	-
EIDBOX	STRING(1)	-
TAXIDTYPE	STRING(1)	-
ACASSGN	STRING(1)	-
ACASSGNY	STRING(1)	-
ACASSGNN	STRING(1)	-
TCHARGE	CSTRING(9)	-
AMTPAID	CSTRING(8)	-
AMTPTPAID	CSTRING(8)	-
BALDUE	CSTRING(8)	-
SIGOFSUP	CSTRING(22)	-
SIGOFSUP2	CSTRING(22)	-
SIGOFSUP3	CSTRING(22)	-
SIGOFSUPDATE	CSTRING(9)	-
DATERPT	DATE	-
OTHFACILITY	CSTRING(27)	-
OTHFACADD	CSTRING(33)	-
OTHFACCITY	CSTRING(21)	-
OTHFACSTATE	STRING(2)	-
OTHFACZIP	CSTRING(11)	-
OTHFACID	CSTRING(14)	-
SUPPLIER	CSTRING(33)	-
SuppFName	CSTRING(21)	-
SuppInit	STRING(1)	-
SuppAddr1	CSTRING(33)	-
SuppCity	CSTRING(21)	-
SuppState	STRING(2)	-
SuppZip	CSTRING(11)	-
SuppPhoneArea	CSTRING(4)	-

SuppPhone	CSTRING(9)	-
SuppPhoneExt	CSTRING(5)	-
SuppSpecCode	CSTRING(4)	-
PROVCODE	CSTRING(4)	-
PROVLNAME	CSTRING(16)	-
PROVFNAME	CSTRING(16)	-
ProvMI	STRING(1)	-
ProvTitle	CSTRING(13)	-
ProvQual	STRING(1)	-
ProvSpecialty	CSTRING(4)	-
ProvNetID	CSTRING(16)	-
ProvLicenseNum	CSTRING(25)	-
PROVADD1	CSTRING(31)	-
PROVCITY	CSTRING(21)	-
PROVSTATE	STRING(2)	-
PROVZIP	CSTRING(11)	-
PROVPHONE	CSTRING(14)	-
SUPPINNUM	CSTRING(26)	-
SUPGRPNUM	CSTRING(17)	-
ECMID	CSTRING(19)	-
PRVFLD1	CSTRING(41)	-
PRVFLD2	CSTRING(41)	-
PRVFLD3	CSTRING(41)	-
PRVFLD4	CSTRING(41)	-
PRVFLD5	CSTRING(41)	-
PRVFLD6	CSTRING(41)	-
PRVFLD7	CSTRING(41)	-
PRVFLD8	CSTRING(41)	-
PRVFLD9	CSTRING(41)	-
PRVFLD10	CSTRING(41)	-
PTID	STRING(20)	-
PTLASTNAME	STRING(15)	-
PTFIRSTNAME	STRING(15)	-
PTMIDINIT	STRING(1)	-
PTSOCSEC	CSTRING(12)	-
PTSEX	STRING(1)	-
PTSEXF	STRING(1)	-
PTSEX	STRING(1)	-
PTMARITAL	STRING(1)	-
PTMARITALS	STRING(1)	-
PTMARITALM	STRING(1)	-
PTMARITALO	STRING(1)	-
PTEMPLOYED	STRING(1)	-
PTEMPLOYMENT	STRING(1)	-
PTSTUDENT	STRING(1)	-
PTSTUDENTFT	STRING(1)	-
PTSTUDENTPT	STRING(1)	-
PTDOB	DATE	-
PTMONTH	STRING(2)	-
PTDAY	STRING(2)	-
PTYEAR	CSTRING(5)	-
PTADD1	CSTRING(26)	-
PTADD2	CSTRING(26)	-
PTCITY	CSTRING(21)	-
PTSTATE	STRING(2)	-
PTZIP	CSTRING(11)	-
PTHOMEAREA	CSTRING(4)	-
PTHOMEPREFIX	CSTRING(4)	-
PTHOMEDASH	STRING(1)	-
PTHOMENUMBER	CSTRING(5)	-
SpouseLName	CSTRING(26)	-
SpouseFName	CSTRING(21)	-
SpouseInit	STRING(1)	-
SpouseSSN	CSTRING(12)	-
SpouseDOB	DATE	-
SpouseEmpInd	STRING(1)	-

SpouseEmployer	CSTRING(31)	-
SpouseEmpAdrs	CSTRING(31)	-
CourtOrdered	STRING(1)	-
USERSORT	CSTRING(13)	-
USERSORT2	CSTRING(13)	-
USERSORT3	CSTRING(13)	-
PTCATEG	CSTRING(4)	-
INTAKE	DATE	-
PTIFLD1	CSTRING(41)	-
PTIFLD2	CSTRING(41)	-
PTIFLD3	CSTRING(41)	-
PTIFLD4	CSTRING(41)	-
PTIFLD5	CSTRING(41)	-
PTIFLD6	CSTRING(41)	-
PTIFLD7	CSTRING(41)	-
PTIFLD8	CSTRING(41)	-
PTIFLD9	CSTRING(41)	-
PTIFLD10	CSTRING(41)	-
CLIANumber	CSTRING(16)	-
InsAmtPaid	STRING(1)	- Amount paid for HCFA box 29
InsBalDue	STRING(1)	- Box 30 print option

ClaimhdrX	FILE, NAME('sos.ClaimHdrX'), PRE(HDRX)	
HDRXpkLinknum	KEY(HDRX:LINKNUM),	OPT, PRIMARY
LINKNUM	LONG	-
PINSP0S	STRING(1)	-
PNAMEINSD	CSTRING(31)	-
PLNAMEINSD	CSTRING(16)	-
PFNAMEINSD	CSTRING(16)	-
PMidInitInsd	STRING(1)	-
PInsdSSN	CSTRING(12)	-
PINSDID	CSTRING(21)	-
PINSGROUP	CSTRING(19)	-
PINSAUTH	CSTRING(31)	-
PINSDADD1	CSTRING(26)	-
PINSDCITY	CSTRING(21)	-
PINSDSTATE	STRING(2)	-
PINSDZIP	CSTRING(11)	-
PSameAddrFlag	BYTE	- Insd adrs same as pt flag
PINSDAREA	CSTRING(4)	-
PINSDPREFIX	CSTRING(4)	-
PINSDDASH	STRING(1)	-
PINSDNUMBER	CSTRING(5)	-
PEXTW	CSTRING(5)	-
PINSDDOB	DATE	-
PINSDSEX	STRING(1)	-
PMEDICAID	CSTRING(31)	-
PSUPID	CSTRING(26)	-
PPORGID	STRING(1)	-
PPOLFLD1	CSTRING(41)	-
PPOLFLD2	CSTRING(41)	-
PPOLFLD3	CSTRING(41)	-
PPOLFLD4	CSTRING(41)	-
PPOLFLD5	CSTRING(41)	-
PPOLFLD6	CSTRING(41)	-
PPOLFLD7	CSTRING(41)	-
PPOLFLD8	CSTRING(41)	-
PPOLFLD9	CSTRING(41)	-
PPOLFLD10	CSTRING(41)	-
PEMPLOYER	CSTRING(29)	-
PGRPFLAG	STRING(1)	-
PSIGONFILE1	STRING(1)	-
PSIGONFILE2	STRING(1)	-

PPLANNAME	CSTRING(30)	-
PLOCUSE10D	CSTRING(21)	-
PLOCUSE19	CSTRING(49)	-
PMRCODE	CSTRING(11)	-
PMRREFNUM	CSTRING(21)	-
PXOVER	STRING(1)	-
PMEDIGAP	STRING(1)	-
PCHAMPUSEFF	DATE	-
PCHAMPUSEXP	DATE	-
PCHAMPSTATUS	STRING(1)	-
PCHAMPBRANCH	STRING(1)	-
PCHAMPGRADE	STRING(2)	-
PCHAMPRELTOS	STRING(2)	-
PCHAMPNAI	STRING(1)	-
PCHAMPPROGHC	STRING(2)	-
PCHAMPAMBSUR	STRING(1)	-
PWCEMPLADD	CSTRING(26)	-
PWCEMPLCITY	CSTRING(16)	-
PWCEMPLSTATE	STRING(2)	-
PWCEMPLZIP	CSTRING(11)	-
PWCRETWORK	STRING(1)	-
PWCPERCENTDI	CSTRING(4)	-
PDEATHSTATUS	STRING(1)	-
PDEATHDATE	DATE	-
PETSPRINTCOD	STRING(1)	-
PETSRECCODE	STRING(2)	-
PETSCLMTYPE2	STRING(1)	-
PETSFIRSTSYM	STRING(1)	-
PUBHEAPform	STRING(1)	-
PUBHMemNum	CSTRING(12)	-
PUBHDisposition	STRING(1)	-
PUBHCaseStatus	STRING(1)	-
PUBHTPlanStatus	STRING(1)	-
PINSDMONTH	STRING(2)	-
PINSDDAY	STRING(2)	-
PINSDEAR	CSTRING(5)	-
PCHEFFMONTH	STRING(2)	-
PCHEFFDAY	STRING(2)	-
PCHEFFYEAR	CSTRING(5)	-
PCHEXPMONTH	STRING(2)	-
PCHEXPDAY	STRING(2)	-
PCHEXPYEAR	CSTRING(5)	-
PRELTOINSD	STRING(2)	-
PREL2INSSLF	STRING(1)	-
PREL2INSSPS	STRING(1)	-
PREL2INSCHL	STRING(1)	-
PREL2INSOTH	STRING(1)	-
PINSDEXM	STRING(1)	-
PINSDEXF	STRING(1)	-
PACASSGN	STRING(1)	-
PACASSGNY	STRING(1)	-
PACASSGNN	STRING(1)	-
POTHERINS	STRING(1)	-
POTHERINSY	STRING(1)	-
POTHERINSN	STRING(1)	-
SINSPoS	STRING(1)	-
SNAMEINSD	CSTRING(31)	-
SLNAMEINSD	CSTRING(16)	-
SFNAMEINSD	CSTRING(16)	-
SMidInitInsd	STRING(1)	-
SInsdSSN	CSTRING(12)	-
SINSDID	CSTRING(21)	-
SINSGROUP	CSTRING(19)	-
SINSAUTH	CSTRING(31)	-
SINSDADD1	CSTRING(26)	-
SINSDCITY	CSTRING(21)	-

SINSDSTATE	STRING(2)	-
SINSDZIP	CSTRING(11)	-
SSameAddrFlag	BYTE	- Insd addrs same as pt flag
SINSDAREA	CSTRING(4)	-
SINSDPREFIX	CSTRING(4)	-
SINSDDASH	STRING(1)	-
SINSDNUMBER	CSTRING(5)	-
SEXTW	CSTRING(5)	-
SINSDDOB	DATE	-
SINSDSEX	STRING(1)	-
SMEDICAID	CSTRING(31)	-
SSUPID	CSTRING(26)	-
SPORGID	STRING(1)	-
SPOLFLD1	CSTRING(41)	-
SPOLFLD2	CSTRING(41)	-
SPOLFLD3	CSTRING(41)	-
SPOLFLD4	CSTRING(41)	-
SPOLFLD5	CSTRING(41)	-
SPOLFLD6	CSTRING(41)	-
SPOLFLD7	CSTRING(41)	-
SPOLFLD8	CSTRING(41)	-
SPOLFLD9	CSTRING(41)	-
SPOLFLD10	CSTRING(41)	-
SEMPLOYER	CSTRING(29)	-
SGRPFLAG	STRING(1)	-
SSIGONFILE1	STRING(1)	-
SSIGONFILE2	STRING(1)	-
SPLANNAME	CSTRING(30)	-
SLOCUSE10D	CSTRING(21)	-
SLOCUSE19	CSTRING(49)	-
SMRCODE	CSTRING(11)	-
SMRREFNUM	CSTRING(21)	-
SXOVER	STRING(1)	-
SMEDIGAP	STRING(1)	-
SCHAMPUSEFF	DATE	-
SCHAMPUSEXP	DATE	-
SCHAMPSTATUS	STRING(1)	-
SCHAMPBRANCH	STRING(1)	-
SCHAMPGRADE	STRING(2)	-
SCHAMPRELTOS	STRING(2)	-
SCHAMPNAI	STRING(1)	-
SCHAMPPROGHC	STRING(2)	-
SCHAMPAMBSUR	STRING(1)	-
SWCEMPLADD	CSTRING(26)	-
SWCEMPLCITY	CSTRING(16)	-
SWCEMPLSTATE	STRING(2)	-
SWCEMPLZIP	CSTRING(11)	-
SWCRETWORK	STRING(1)	-
SWCPERCENTDI	CSTRING(4)	-
SDEATHSTATUS	STRING(1)	-
SDEATHDATE	DATE	-
SETSPRINTCOD	STRING(1)	-
SETSRECCODE	STRING(2)	-
SETSCLMTYPE2	STRING(1)	-
SETSFIRSTSYM	STRING(1)	-
SUBHEAPform	STRING(1)	-
SUBHMemNum	CSTRING(12)	-
SUBHDisposition	STRING(1)	-
SUBHCaseStatus	STRING(1)	-
SUBHTPlanStatus	STRING(1)	-
SINSDMONTH	STRING(2)	-
SINSDDAY	STRING(2)	-
SINSDYEAR	CSTRING(5)	-
SCHEFFMONTH	STRING(2)	-
SCHEFFDAY	STRING(2)	-
SCHEFFYEAR	CSTRING(5)	-

SCHEXPMONTH	STRING(2)	-
SCHEXPDAY	STRING(2)	-
SCHEXPYEAR	CSTRING(5)	-
SRELTOINSD	STRING(2)	-
SREL2INSSLF	STRING(1)	-
SREL2INSSPS	STRING(1)	-
SREL2INSCHL	STRING(1)	-
SREL2INSOTH	STRING(1)	-
SINSDSEXM	STRING(1)	-
SINSDSEXF	STRING(1)	-
SACCASSGN	STRING(1)	-
SACCASSGNY	STRING(1)	-
SACCASSGNN	STRING(1)	-
SOTHERINS	STRING(1)	-
SOTHERINSY	STRING(1)	-
SOTHERINSN	STRING(1)	-
SINSCONAME	CSTRING(33)	-
SINSCOADD1	CSTRING(33)	-
SINSCOADD2	CSTRING(33)	-
SINSCOCITY	CSTRING(21)	-
SINSCOSTATE	STRING(2)	-
SINSCOZIP	CSTRING(11)	-
SINSFLAG	STRING(1)	-
SCOMPANYNUM	CSTRING(10)	-
SOFFICENUM	CSTRING(5)	-
SIDQual	STRING(1)	-
SCoverage	STRING(1)	-
BATCHTYPE	CSTRING(4)	-
REQUEST2	STRING(1)	-
ETSVERNUM	STRING(2)	-
CLAIMNUM	CSTRING(6)	-
TOTITEMS	STRING(2)	-
PYMTRIGGER	STRING(1)	-
CCT	STRING(1)	-
PYMTRIGGER2	STRING(1)	-
CCT2	STRING(1)	-

Claimitm FILE, NAME('sos.ClaimItm'), PRE(ITM)

ITMpkClaimItmNum	KEY(ITM:ClaimItmNum), OPT, PRIMARY	
ITMfkLinkNum	KEY(ITM:LinkNum), DUP, OPT	
ITMiUserLinkNum	KEY(ITM:UserNum, ITM:LinkNum, ITM:LINENUM, ITM:FRDATE), DUP, OPT	
ClaimItmNum	LONG	-
LinkNum	LONG	-
UserNum	LONG	-
LINENUM	BYTE	-
FRDATE	DATE	-
FRDATEMONTH	STRING(2)	-
FRDATEDAY	STRING(2)	-
FRDATEYEAR	CSTRING(5)	-
TODATE	DATE	-
TODATEMONTH	STRING(2)	-
TODATEDAY	STRING(2)	-
TODATEYEAR	CSTRING(5)	-
POS	CSTRING(4)	-
TOS	CSTRING(4)	-
CPT	CSTRING(6)	-
CPTMOD1	STRING(2)	-
CPTMOD2	STRING(2)	-
CPTMOD3	STRING(2)	-
CPTMOD4	STRING(2)	-
DX	CSTRING(8)	-
DXPTR1	STRING(1)	-
DXPTR2	STRING(1)	-

DXPTR3	STRING(1)	-
DXPTR4	STRING(1)	-
FEE	CSTRING(9)	-
UNITS	CSTRING(6)	-
FP	STRING(2)	-
EMG	STRING(1)	-
COB	STRING(1)	-
RSVD	CSTRING(19)	-
SRVCODE	CSTRING(10)	-
PROCDISC	CSTRING(29)	-
TEXT	CSTRING(41)	-
MEDUNNEC	STRING(1)	-
DOCS	STRING(1)	-
BLOODAMB	CSTRING(5)	-
JNUM	LONG	-
PtPaid	CSTRING(9)	-
JouFld1	CSTRING(41)	-
JouFld2	CSTRING(41)	-
JouFld3	CSTRING(41)	-
JouFld4	CSTRING(41)	-
JouFld5	CSTRING(41)	-
JouFld6	CSTRING(41)	-
JouFld7	CSTRING(41)	-
JouFld8	CSTRING(41)	-
JouFld9	CSTRING(41)	-
JouFld10	CSTRING(41)	-
Memo	CSTRING(282)	- Transaction memo
CLIANumber	CSTRING(16)	-
MemoIsHA0	BYTE	-

Claims	FILE, NAME('sos.Claims'), PRE(CLM)
CLMpkClmLinkNum	KEY(CLM:ClmLinkNum), OPT, PRIMARY
CLMfkBatchNum	KEY(CLM:BatchNum), DUP, OPT
ClmLinkNum	LONG -
BatchNum	LONG -
PtNum	LONG -
PayorNum	LONG -
TotalCharges	DECIMAL(9, 2) -

ClaimsView	FILE, NAME('sos.ClaimsView'), PRE(CV)
CVpkChgSplDate	KEY(CV:ChgSplDate), DUP, NOCASE, OPT
ChgSplDate	DATE -
FirstBilled	DATE -
LastBilled	DATE -
PtAuthNum	LONG -
JNum	LONG -
PtPayorNum	LONG -
ChgSplBal	DECIMAL(7, 2) -
ChgSplAmt	DECIMAL(7, 2) -
ChgSplNum	LONG -
ClmLinkNum	LONG - Claim this item was on.
ProviderNum	LONG -
PtCSUNum	LONG -
ServiceNum	LONG -
POSCoNum	LONG -
StartDate	DATE -
CPTMod1	STRING(2) -
Dx1	CSTRING(7) -
Units	DECIMAL(3, 1) -

PtNum	LONG	-
BillFlag	BYTE	-
PtPolNum	LONG	-
InsPos	BYTE	-
Active	DATE	-
Inactive	DATE	-
DayBatch	LONG	-
TranDate	DATE	-
TranType	STRING(1)	-
PayorNum	LONG	-
PayorType	STRING(1)	-
FormType	CSTRING(13)	-
CarrierNum	LONG	-
LastName	CSTRING(26)	-
FirstName	CSTRING(21)	-
MidInit	STRING(1)	-
LicNum	LONG	-
PtCategNum	LONG	-
Flag	BYTE	-
ProvCode	STRING(3)	- Shorthand provider code

ClaimsViewIC **FILE, NAME('sos.ClaimsViewIC'), PRE(CVIC)**

CVICpkTranDate	KEY(CVIC:TranDate), DUP, NOCASE, OPT
JNum	LONG -
Amount	DECIMAL(7, 2) -
Balance	DECIMAL(7, 2) -
ProviderNum	LONG -
PtCSUNum	LONG -
ServiceNum	LONG -
POSCodeNum	LONG -
StartDate	DATE -
CPTMod1	STRING(2) -
Dx1	CSTRING(7) -
Units	DECIMAL(3, 1) -
PtNum	LONG -
BillFlag	BYTE -
PtPayorNum	LONG -
PtPolNum	LONG -
InsPos	BYTE -
Active	DATE -
Inactive	DATE -
DayBatch	LONG -
TranDate	DATE -
TranType	STRING(1) -
PayorNum	LONG -
PayorType	STRING(1) -
FormType	CSTRING(13) -
CarrierNum	LONG -
LastName	CSTRING(26) -
FirstName	CSTRING(21) -
MidInit	STRING(1) -
LicNum	LONG -
PtCategNum	LONG -
Flag	BYTE -
ProvCode	STRING(3) - Shorthand provider code

ClaimsViewUB **FILE, NAME('sos.ClaimsViewUB'), PRE(UV)**

CVpkChgSplDate	KEY(UV:ChgSplDate), DUP, NOCASE, OPT
ChgSplDate	DATE -

FirstBilled	DATE	-
LastBilled	DATE	-
PtAuthNum	LONG	-
JNum	LONG	-
PtPayorNum	LONG	-
ChgSplBal	DECIMAL(7, 2)	-
ChgSplAmt	DECIMAL(7, 2)	-
ChgSplNum	LONG	-
ClmLinkNum	LONG	- Claim this item was on.
ProviderNum	LONG	-
PtUBSUNum	LONG	-
ServiceNum	LONG	-
POSCodeNum	LONG	-
StartDate	DATE	-
CPTMod1	STRING(2)	-
Dx1	CSTRING(7)	-
Units	DECIMAL(3, 1)	-
PtNum	LONG	-
BillFlag	BYTE	-
PtPolNum	LONG	-
InsPos	BYTE	-
Active	DATE	-
Inactive	DATE	-
DayBatch	LONG	-
TranDate	DATE	-
TranType	STRING(1)	-
PayorNum	LONG	-
PayorType	STRING(1)	-
FormType	CSTRING(13)	-
CarrierNum	LONG	-
LastName	CSTRING(26)	-
FirstName	CSTRING(21)	-
MidInit	STRING(1)	-
LicNum	LONG	-
PtCategNum	LONG	-
Flag	BYTE	-
ProvCode	STRING(3)	- Shorthand provider code
RevCode	CSTRING(6)	- Revenue code (UB92 only)

CMAuths	FILE, NAME('sos.CMAuths'), PRE(AUT)
AUTpkCMAuthNum	KEY(AUT:CMAuthNum), NOCASE, OPT, PRIMARY
AUTiPtNumStartDate	KEY(AUT:PtNum, AUT:STARTDATE), DUP, NOCASE, OPT
AUTiPtNumCMAutNum	KEY(AUT:PtNum, AUT:CMAuthNum), NOCASE, OPT
CMAuthNum	LONG - Primary key
AddDate	DATE - Date entry was created
AddTime	TIME -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
PtNum	LONG -
STARTDATE	DATE -
ENDDATE	DATE -
MAXVISITS	SHORT -
DESC	CSTRING(25) -
AUTHNUM	CSTRING(31) -
USEDVISITS	SHORT -
STATUS	STRING(1) -

CPTMods	FILE, NAME('sos.CPTMods'), PRE(CPT)
----------------	--

CPTpkModNum	KEY(CPT:CPTModNum), OPT, PRIMARY
CPTiCode	KEY(CPT:ModCode), OPT
CPTiDesc	KEY(CPT:ModDesc), OPT
CPTModNum	LONG - Primary key value
ModCode	STRING(2) - Modifier Code
ModDesc	STRING(40) - Description
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Credcrds **FILE, NAME('sos.Credcrds'), PRE(CC)**

CCpkCCNum	KEY(CC:CCNum), OPT, PRIMARY
CCfkPayorNum	KEY(CC:PayorNum), DUP, OPT
CCiCardNumber	KEY(CC:CardNumber), OPT
CCiPayorNum	KEY(CC:PayorNum, CC:CCNum), OPT
CCNum	LONG - Unique value for primary key
PayorNum	LONG - Foreign key link to Payors
CardType	CSTRING(12) - Type of credit card
CardNumber	STRING(30) - Credit card number
CardExpDate	DATE - Credit card expiration date
CardName	CSTRING(41) - Name on credit card
CardAddr	CSTRING(36) - Credit card billing address
CardCity	CSTRING(21) - Credit card billing city
CardState	STRING(2) - Credit card billing state
CardZip	CSTRING(11) - Credit card billing zipcode
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

CrsView **FILE, NAME('sos.crsview'), PRE(CRV)**

CRVfkChgSplNum	KEY(CRV:ChgSplNum, CRV:CrSplNum), DUP, OPT
CRViPTPNumCHSNum	KEY(CRV:PtPayorNum, CRV:ChgSplNum), DUP, OPT
CrSplAmt	DECIMAL(7, 2) -
AmtToApply	DECIMAL(7, 2) -
CrSplNum	LONG -
DateApplied	DATE -
ChgSplNum	LONG -
PtPayorNum	LONG -
JNum	LONG -
SysTranFlag	STRING(2) -
CredType	CSTRING(11) -
CCNum	LONG -
CardNumber	STRING(30) -
CheckNum	LONG -
ChkRefNum	STRING(25) -
TranDate	DATE -
PayorFullName	CSTRING(57) -

CrsView2 **FILE, NAME('sos.crsview2'), PRE(CRV2)**

CRV2pkJNum	KEY(CRV2:JNum, CRV2:CrSplNum), OPT
------------	------------------------------------

CRV2iPtpayornumCrSplNum	KEY(CRV2:PtPayorNum, CRV2:CrSplNum), OPT
CRV2iChgSplNum	KEY(CRV2:ChgSplNum), NOCASE, OPT
Trandate	DATE -
SrvCode	STRING(9) -
Srvdesc	STRING(28) -
ChgSplNum	LONG -
ChgSplAmt	DECIMAL(7, 2) -
ChgSplBal	DECIMAL(7, 2) -
CrSplAmt	DECIMAL(7, 2) -
JNum	LONG -
CrSplNum	LONG -
PtPayorNum	LONG -
CredType	CSTRING(11) -
ProvCode	STRING(3) -
ServiceDate	DATE -
NegAmount	DECIMAL(7, 2) -

Dayhx FILE, NAME('SOS.DAYHX'), PRE(DHX)

DHXpkBatch	KEY(DHX:LicNum, DHX:DayBatch), OPT, PRIMARY
DHXiPostDate	KEY(DHX:LicNum, DHX:PostDate, DHX:PostTime), OPT
LicNum	LONG -
DayBatch	LONG - Daysheet batch unique number
PostDate	DATE -
PostTime	TIME -
ConfirmCode	CSTRING(41) -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) -

Dayview FILE, NAME('sos.dayview'), PRE(DAV)

DAVpkJnum	KEY(DAV:JNum), DUP, OPT
DAViPtNum	KEY(DAV:PtNum), DUP, OPT
DAViLicBaseBatch	KEY(DAV:LicNum, DAV:Daybatch, DAV:JNum), OPT
DAViSortCode	KEY(DAV:LicNum, DAV:Daybatch, DAV:SortCode, DAV:JNum), DUP, OPT
Amount	DECIMAL(7, 2) -
Trandate	DATE -
JNum	LONG -
Daybatch	LONG -
Site	LONG -
LicNum	LONG -
TranType	STRING(1) -
PtNum	LONG -
Comment1	CSTRING(21) -
Comment2	CSTRING(21) -
Memo	LONG -
AddUser	CSTRING(7) -
PostDate	DATE -
PostTime	TIME, NAME('PostTime NOWHERE') -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
SortCode	LONG -
CredType	CSTRING(11) -
PayorName	STRING(40) -
PayorFirstName	STRING(15) -
CrSplAmt	DECIMAL(7, 2) -
ChgSplNumRef	LONG -

CrsAddDate	DATE	-
CrsAddTime	TIME, NAME('CrsAddTime NOWHERE')	-
CrsUpdDate	DATE	-
CrsUpdTime	TIME, NAME('CrsUpdTime NOWHERE')	-
CrsSysTranFlag	STRING(2)	-
SrvDate	DATE	-
SrvCode	STRING(9)	-
CardType	CSTRING(12)	-
ChkRefNum	STRING(25)	-
AdjCode	STRING(3)	-
ChgSplamt	DECIMAL(7, 2)	-
ChgSplBal	DECIMAL(7, 2)	-
ChgSplDate	DATE	-
ChgSplNum	LONG	-
ChsAddDate	DATE	-
ChsAddTime	TIME, NAME('ChsAddTime NOWHERE')	-
ChsUpdDate	DATE	-
ChsUpdTime	TIME, NAME('ChsUpdTime NOWHERE')	-
ChsSysTranFlag	STRING(2)	-
PtPayorNum	LONG	-
ResParty	STRING(40)	-
ResPartyFirst	STRING(15)	-
PayorType	STRING(1)	-
Service	STRING(9)	-
ProvCode	STRING(3)	-
ID	STRING(20)	-
LastName	STRING(25)	-
FirstName	STRING(20)	-
Modified	LONG	-

Discount **FILE, NAME('sos.discount'), PRE(DIS)**

DISpkDiscountNum	KEY(DIS:DiscountNum), OPT, PRIMARY
DISiPtNum	KEY(DIS:PtNum, DIS:DiscountNum), OPT
DISiCategory	KEY(DIS:LUNum, DIS:DiscountNum), OPT
DiscountNum	LONG - Primary key value
LUNum	LONG - Link to category lookup table
PtNum	LONG - Link to patients
Servicenum	LONG - Link to services
Amount	DECIMAL(7, 2) - Maximum amount to be charge to patient
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')
UpdUser	CSTRING(7) - User who last updated entry

Drops **FILE, NAME('sos.Drops'), PRE(DRO)**

DROpkDropsNum	KEY(DRO:DropsNum), OPT, PRIMARY
DROiTypeCode	KEY(DRO:DropsType, DRO:DropCode), OPT
DropsNum	LONG - Primary Key
DropsType	STRING(20) -
DropCode	STRING(12) -
DropDesc	STRING(30) -

DSMDesc **FILE, NAME('sos.DSMDesc'), PRE(DSM)**

DSMPkDSMDescNum	KEY(DSM:DSMDescNum), NOCASE, OPT, PRIMARY
-----------------	---

DSMiTypCode	KEY(DSM:TYPE, DSM:CODE), NOCASE
DSMiTypDesc	KEY(DSM:TYPE, DSM:DESC), NOCASE
DSMDescNum	LONG - Primary key
AddDate	DATE -
AddTime	TIME -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
TYPE	STRING(1) -
CODE	STRING(10) -
DESC	CSTRING(49) -

Dx FILE, NAME('sos.Dx'), PRE(DX)

DXpkDxNum	KEY(DX:DxNum), OPT, PRIMARY
DXiDxDescType	KEY(DX:DxDesc, DX:DxType), OPT
DXiCodeType	KEY(DX:DxCode, DX:DxType), OPT
DXiDxTypeDesc	KEY(DX:DxType, DX:DxDesc), OPT
DXiDxCode	KEY(DX:DxCode), DUP, OPT
DXiTypeCode	KEY(DX:DxType, DX:DxCode, DX:DxDesc), OPT
DxNum	LONG - Primary key value
DxCode	STRING(6) - Dx Code
DxType	STRING(4) - Dx type ICD/DSM1/DSM2
DxDesc	STRING(42) - Dx description
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

ECMSent FILE, NAME('sos.ECMSent'), PRE(ECS)

ECSpkFileName	KEY(ECS:FileName), OPT, PRIMARY
FileName	STRING(12) - name of ecm claim file
DateSent	DATE -
TimeSent	TIME, NAME('Timesent NOWHERE') -

EncntformLines FILE, NAME('sos.EnCntFormLines'), PRE(EFL)

EFLfkEncFormLineNum	KEY(EFL:EncFormLineNum), OPT, PRIMARY
EFLfkEFLuNum	KEY(EFL:EFLuNum, EFL:Position), OPT
EncFormLineNum	LONG - Primary key value
EFLuNum	LONG - Foreign link to Lookups
Servicenum	LONG - Link to Services
Position	LONG -
Description	STRING(40) -
HeaderFlag	BYTE - Is this item a group header
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Facilities	FILE, NAME('sos.Facilities'), PRE(FAC)
FACpkFacilityNum	KEY(FAC:FacilityNum), OPT, PRIMARY
FACiShorthand	KEY(FAC:Shorthand), OPT
FACiFacName	KEY(FAC:FacName), OPT
FacilityNum	LONG - Primary key value
Shorthand	STRING(15) - Shorthand for facility
FacName	STRING(40) - Name of facility
Address1	CSTRING(36) - Address line one
Address2	CSTRING(36) - Address line two
City	CSTRING(21) - City
State	STRING(2) - State
Zip	CSTRING(11) - Postal code
AreaCode	CSTRING(4) - Telephone area code
Phone	CSTRING(9) - Telephone number
Ext	CSTRING(5) -
DEFAULTID	CSTRING(16) - Default ID
MCID	CSTRING(16) - Medicare ID number
MDID	CSTRING(16) - Medicaid ID number
BBID	CSTRING(16) - BCBS ID number
CHID	CSTRING(16) - Champus ID number
ECMID	CSTRING(16) - Electronic Claims ID number
SpecialID	CSTRING(16) - Other ID number
Remark	CSTRING(40) - Remark
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Fees	FILE, NAME('sos.Fees'), PRE(FEE)
FEEpkFeeNum	KEY(FEE:FeeNum), OPT, PRIMARY
FEEfkServiceNum	KEY(FEE:ServiceNum), DUP, OPT
FEEiLink	KEY(FEE:LinkType, FEE:LinkNum, FEE:FeeNum), OPT
FEEiSrvProv	KEY(FEE:ServiceNum, FEE:LinkType, FEE:LinkNum, FEE:FeeNum), OPT
FeeNum	LONG - pk for Fees
ServiceNum	LONG - fk to Services
LinkType	STRING(1) - Can be ProviderNum (P) or ProvTypeNum (T)
LinkNum	LONG - Link number to Provider or Provtype
RegFee	DECIMAL(7, 2) - Regular fee this prov & service
Cost	DECIMAL(7, 2) - Cost for this provider and service
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Gloss	FILE, NAME('sos.Gloss'), PRE(GLO)
GLOpkGlossNum	KEY(GLO:GlossNum), NOCASE, OPT, PRIMARY
GLOiTitle	KEY(GLO:TITLE), NOCASE, OPT
GlossNum	LONG - Primary key
AddDate	DATE -
AddTime	TIME -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
TITLE	STRING(30) -

TEXT	CSTRING(14592) -
------	------------------

Groups FILE, NAME('sos.Groups'), PRE(GRP)

GRPPkGroupNum	KEY(GRP:GroupNum), NOCASE, OPT, PRIMARY
GRPiName	KEY(GRP:GrpName), NOCASE, OPT
GroupNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOQHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
GrpName	STRING(30) -

HxTitles FILE, NAME('sos.HxTitles'), PRE(HXT)

HXTpkHxTitleNum	KEY(HXT:HxTitleNum), NOCASE, OPT, PRIMARY
HXTiAbbrev	KEY(HXT:ABBREV), NOCASE, OPT
HXTiTitle	KEY(HXT:SECTIONTITLE), NOCASE, OPT
HxTitleNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
ABBREV	STRING(12) -
SECTIONTITLE	CSTRING(61) -
REMINDER1	CSTRING(77) -
REMINDER2	CSTRING(77) -
PRINT_FLAG	STRING(1) -
LINES	SHORT - Number of blank lines to print in report

JCharges FILE, NAME('sos.JCharges'), PRE(CHA)

CHApkJNum	KEY(CHA:JNum), OPT, PRIMARY
CHAFkServiceNum	KEY(CHA:ServiceNum), DUP, OPT
CHAFkPOSCodeNum	KEY(CHA:POSCodeNum), DUP, OPT
CHAFkPtCSUNum	KEY(CHA:PtCSUNum), DUP, OPT
CHAFkPtUBSUNum	KEY(CHA:PtUBSUNum), DUP, OPT
CHAFkProviderNum	KEY(CHA:ProviderNum), DUP, OPT
CHAIpNum	KEY(CHA:PtNum), DUP, OPT
JNum	LONG - FK link to Journal
CSUType	STRING(1) - Claim Setup Type
PtCSUNum	LONG - FK to ClaimSetup
PtUBSUNum	LONG -
ProviderNum	LONG - Link to providers
PtNum	LONG -
Dx1	CSTRING(7) - Diagnosis 1
Dx2	CSTRING(7) - Diagnosis 2
Dx3	CSTRING(7) - Diagnosis 3
Dx4	CSTRING(7) - Diagnosis 4
StartDate	DATE - Date field
ServiceNum	LONG - fk link to Services
Cost	DECIMAL(7, 2) - Cost of providing this service
CPTMod1	STRING(2) - CPT modifier 1
CPTMod2	STRING(2) - CPT modifier 2
CPTMod3	STRING(2) - CPT modifier 3

CPTMod4	STRING(2)	- CPT modifier 4
POSCodeNum	LONG	- FK link to POSCodes
Units	DECIMAL(7, 2)	- Days or units
FP	STRING(2)	- Family planning / EPSDT HCFA indicator
Emergency	STRING(1)	- EMG indicator for HCFA
COB	STRING(1)	- Coordination of benefits HCFA indicator
Box24k	CSTRING(16)	- Local use block 24k on HCFA
LabChg	DECIMAL(7, 2)	- Laboratory charge
BillToIns	BYTE	- Bill to insurance checkbox
Balance	DECIMAL(8, 2)	- Balance due for this charge
PrintUBFlag	BYTE	- Print as separate line on UB or combine
MemoISHA0	BYTE	- Use memo in ECM HA0 record (Narrative)
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
CLIANumber	CSTRING(16)	-

JChgSplits FILE, NAME('sos.JChgSplits'), PRE(CHS)

CHSpkChgSplNum	KEY(CHS:ChgSplNum), OPT, PRIMARY
CHSfkJnum	KEY(CHS:JNum), DUP, OPT
CHSfkPtPayorNum	KEY(CHS:PtPayorNum), DUP, OPT
CHSfkPtAuthNum	KEY(CHS:PtAuthNum), DUP, OPT
CHSiPtNum	KEY(CHS:PtNum), DUP, OPT
CHSiDate	KEY(CHS:ChgSplDate), DUP, OPT
CHSiJnumChgSplNum	KEY(CHS:JNum, CHS:ChgSplNum), OPT
CHSiSysCreated	KEY(CHS:SysCreated), DUP, OPT
CHSiClmLinkNum	KEY(CHS:ClmLinkNum), DUP, NOCASE, OPT
ChgSplNum	LONG - Primary key for ChgSplits table
JNum	LONG - Foreign key link to Charges table
PtPayorNum	LONG - Foreign key link to Payors table
PtAuthNum	LONG - FK link to PtAuths
PtNum	LONG -
SysCreated	LONG - System link for auto trigger deletion
ChgSplDate	DATE - Date charge split was created
ChgSplAmt	DECIMAL(7, 2) - Amount charged to creditor
ChgSplBal	DECIMAL(7, 2) - Amount still due
Description	CSTRING(31) - Description of service
FirstBilled	DATE - Date of first billing to this payor
LastBilled	DATE - Date of most recent billing to payor
PaidDate	DATE - Date split paid in full
ClmLinkNum	LONG - Claim this item was on.
PtAuthWarning	BYTE - Warn user that there is more than one valid auth
for this spltit	
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')
UpdUser	CSTRING(7) - User who last updated entry
MCTally	STRING(1) -
SysTranFlag	STRING(2) -
NoClaims	BYTE - If set to true, a hcfa will not be generated for
this split.	
TransferLink	LONG - Used to link transfers charge split to original
charge split	

JCCredits	FILE, NAME('sos.JCCredits'), PRE(CRE)
CREpkJNum	KEY(CRE:JNum), OPT, PRIMARY
CREfkCCNum	KEY(CRE:CCNum), DUP, OPT
CREfkCheckNum	KEY(CRE:CheckNum), DUP, OPT
CREfkAdjXNum	KEY(CRE:AdjXNum), DUP, OPT
CREfkPtPayorNum	KEY(CRE:PtPayorNum, CRE:JNum), OPT
CREiPtNum	KEY(CRE:PtNum), DUP, OPT
JNum	LONG - Foreign key link to Journal
PtPayorNum	LONG - Foreign key to Ptpayor
PtNum	LONG -
CredType	CSTRING(11) - Cash, Check, Credit Card, Other, Adjustment, Transfer
CheckNum	LONG - Foreign key link to Checks
CCNum	LONG - Foreign key to CredCrds
AdjXNum	LONG - Foreign key link to AdjustX
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

JCSplits	FILE, NAME('sos.JCSplits'), PRE(CRS)
CRSpkCrSplNum	KEY(CRS:CrSplNum), OPT, PRIMARY
CRSiDateApplied	KEY(CRS:DateApplied, CRS:CrSplNum), OPT
CRSfkJNum	KEY(CRS:JNum), DUP, OPT
CRSiPtNum	KEY(CRS:PtNum), DUP, OPT
CRSiCHSNumCRSNum	KEY(CRS:ChgSplNum, CRS:CrSplNum), OPT
CRSiJNumCrSplNum	KEY(CRS:JNum, CRS:CrSplNum), OPT
CRSiPTPNumCHSNum	KEY(CRS:PtPayorNum, CRS:ChgSplNum), DUP, OPT
CrSplNum	LONG - Primary key, Credit split number
JNum	LONG - Foreign key link to Credits
ChgSplNum	LONG - Foreign key link to Charge Split item
PtNum	LONG -
PtPayorNum	LONG - Link to ptpayor
CrSplAmt	DECIMAL(7, 2) - Amount applied
AmtToApply	DECIMAL(7, 2) -
SysCreated	LONG - System link for auto deletion.
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry
DateApplied	DATE - System Date link to chgsplnum was made
SysTranFlag	STRING(2) -
DelSysCreated	BYTE -
CrSplRef	LONG - Provides a link to a credit split. Use with negative crsplit guide.

JouChgView	FILE, NAME('sos.JouChgView'), PRE(JCV)
JCViJNum	KEY(JCV:JNum), NOCASE, OPT, PRIMARY
JCViIdTranDate	KEY(JCV:PtNum, JCV:TranDate, JCV:JNum), DUP, NOCASE, OPT
JNum	LONG -
LicNum	LONG -
TranDate	DATE -
Amount	DECIMAL(11, 2) -
TranType	STRING(1) -
Daybatch	LONG -

Alert	BYTE	-
AddUser	CSTRING(7)	-
PtNum	LONG	-
ID	STRING(20)	-
LastName	CSTRING(26)	-
FirstName	CSTRING(21)	-
MidInit	STRING(1)	-
Balance	DECIMAL(8, 2)	-
ProviderNum	LONG	-
Provlname	STRING(20)	-
Provfname	STRING(15)	-
ServiceNum	LONG	-
Srvdesc	STRING(28)	-
cptcode	CSTRING(6)	-

JouChsView **FILE, NAME('sos.chsview'), PRE(JCSV)**

CSVpkJNum	KEY(JCSV:JNum), DUP, OPT	
CSVpkChgSplNum	KEY(JCSV:ChgSplNum), NOCASE, OPT	
ChgSplDate	DATE	-
ChgSplAmt	PDECIMAL(7, 2)	-
ChgSplBal	PDECIMAL(7, 2)	-
ChgSplNum	LONG	-
JNum	LONG	-
PtAuthNum	LONG	-
PtPayorNum	LONG	-
PtAuthWarning	BYTE	-
FirstBilled	DATE	- Date of first billing to this payor
LastBilled	DATE	- Date of most recent billing to payor
SysTranFlag	STRING(2)	-
AuthNum	CSTRING(31)	-
PayorName	CSTRING(41)	-
FirstName	STRING(15)	-
PayorNum	LONG	-
PayorType	STRING(1)	-

JouCrsView **FILE, NAME('sos.crsview'), PRE(JCRV)**

CRVfkChgSplNum	KEY(JCRV:ChgSplNum, JCRV:CrSplNum), DUP, OPT	
CRViPTPNumCHSNum	KEY(JCRV:PtPayorNum, JCRV:ChgSplNum), DUP, OPT	
CrSplAmt	DECIMAL(7, 2)	-
AmtToApply	DECIMAL(7, 2)	-
CrSplNum	LONG	-
DateApplied	DATE	-
ChgSplNum	LONG	-
PtPayorNum	LONG	-
JNum	LONG	-
SysTranFlag	STRING(2)	-
CredType	CSTRING(11)	-
CCNum	LONG	-
CardNumber	STRING(30)	-
CheckNum	LONG	-
ChkRefNum	STRING(25)	-
TranDate	DATE	-
PayorFullName	CSTRING(57)	-

Journal **FILE, NAME('sos.Journal'), PRE(JOU)**

JOUpkJNum	KEY(JOU:JNum), OPT, PRIMARY	
-----------	-----------------------------	--

JOUfkPtNum	KEY(JOU:PtNum), DUP, OPT
JOUiDayBatch	KEY(JOU:LicNum, JOU:DayBatch), DUP, OPT
JOUiSiteJnum	KEY(JOU:Site, JOU:JNum), OPT
JOUiSiteTrandate	KEY(JOU:Site, JOU:TranDate), DUP, OPT
JOUiTrandate	KEY(JOU:TranDate), DUP, OPT
JOUiPostDate	KEY(JOU:PostDate), DUP, OPT
JOUiPtNumTrandate	KEY(JOU:PtNum, JOU:TranDate), DUP, OPT
JOUiUnique	KEY(JOU:PtNum, JOU:TranDate, JOU:JNum), OPT
JNum	LONG - Unique number used for primary key.
PtNum	LONG - Foreign key to Patients
LicNum	LONG -
UDDataNum	LONG -
TranType	STRING(1) - Type: Service Payment Adjustment
TranDate	DATE - Date of Service or Credit
Amount	DECIMAL(7, 2) - Amount of this charge or credit
SortCode	LONG - Internal sorting/reporting code
Comment1	CSTRING(21) - First comment
Comment2	CSTRING(21) - Second Comment
Remark	CSTRING(129) - Additional service description
Memo	CSTRING(282) - Transaction memo
SBPrinted	LONG - Superbill control number
PostDate	DATE - Date transaction posted to ledger
PostTime	TIME - Time transaction was posted to ledger
DayBatch	LONG - Daysheet batch number
Site	LONG - Site of transaction entry
Alert	BYTE - Flag to alert user that this entry need attention
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry
MiniPrinted	LONG - Minibill control number
NoEdits	BYTE -

JouView FILE, NAME('sos.JouView'), PRE(JV)

KeyJNum	KEY(JV:JNum), NOCASE, OPT
KeyIdTrandate	KEY(JV:PtNum, -JV:TranDate, JV:JNum), DUP, NOCASE, OPT
JNum	LONG -
LicNum	LONG -
TranDate	DATE -
Amount	DECIMAL(7, 2) -
TranType	STRING(1) -
Daybatch	LONG -
Alert	BYTE -
AddUser	CSTRING(7) -
PtNum	LONG -
ID	STRING(20) -
LastName	STRING(25) -
FirstName	STRING(20) -
Midinit	STRING(1) -
Balance	DECIMAL(8, 2) -
Ptcsunum	LONG -
CredType	CSTRING(11) -
PayorNum	LONG -
PayorName	STRING(40) -
ProviderNum	LONG -
Provlname	STRING(20) -
Provfname	STRING(15) -
ServiceNum	LONG -
Srvdesc	STRING(40) -
CPTCode	CSTRING(6) -

LicUsers	FILE, NAME('sos.LicUsers'), PRE(LUS)	
LUSpkLicUsersNum	KEY(LUS:LicUsersNum), OPT, PRIMARY	
LUSiLicNumUser	KEY(LUS:LicNum, LUS:UserNum), OPT	
LicUsersNum	LONG	- Unique internal number
LicNum	LONG	- Link to license table
UserNum	LONG	- Link to Omusers table
Product	CSTRING(13)	- Product type
UserLevel	BYTE	- Security level for user in this licence
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

LookUps	FILE, NAME('sos.LookUps'), PRE(LU)	
LUPkLookups	KEY(LU:LUNum), OPT, PRIMARY	
LUIFlagCode	KEY(LU:Flag, LU:LUCode), OPT	
LUIFlagRemark	KEY(LU:Flag, LU:Remark), OPT	
LUNum	LONG	- Primary key for Lookups
Flag	STRING(2)	- Pick table flag.
LUCode	STRING(12)	- Shorthand code
Remark	STRING(40)	- additional information
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry

Medications	FILE, NAME('sos.Medications'), PRE(MED)	
MEDpkMedNum	KEY(MED:MedNum), NOCASE, OPT, PRIMARY	
MEDiName	KEY(MED:MedName), NOCASE, OPT	
MedNum	LONG	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOQHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-
MedName	STRING(30)	-

Occupations	FILE, NAME('sos.Occupations'), PRE(OCC)	
OCCpkOccNum	KEY(OCC:OccNum), NOCASE, OPT, PRIMARY	
OCCiName	KEY(OCC:OccName), NOCASE, OPT	
OccNum	LONG	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOQHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-
OccName	CSTRING(31)	-

Patients FILE, NAME('sos.Patients'), PRE(PT)

PTpkPtNum	KEY(PT:PtNum), OPT, PRIMARY
PTfkProviderNum	KEY(PT:ProviderNum), DUP, OPT
PTfkPtCategNum	KEY(PT:PtCategNum), DUP, OPT
PTfkRefSrcNum	KEY(PT:RefSrcNum), DUP, OPT
PTiLicNum	KEY(PT:LicNum), DUP, OPT
PTiID	KEY(PT:LicNum, PT:Flag, PT:ID), OPT
PTiName	KEY(PT:LicNum, PT:Flag, PT:LastName, PT:FirstName, PT:MidInit, PT:PtNum), OPT
PTiSSN	KEY(PT:LicNum, PT:Flag, PT:SocSec, PT:PtNum), OPT
PTiLinkID	KEY(PT:LinkID), DUP, OPT
PtNum	LONG - Primary key value
LicNum	LONG - foreign key to base file
Flag	BYTE - Active Pt if FALSE, Closed Pt if TRUE
PayorNum	LONG -
ID	STRING(20) - User-assigned patient id
UserSort	CSTRING(13) - User sort field
UserSort2	CSTRING(13) - User sort field 2
UserSort3	CSTRING(13) - User sort field 3
LastName	STRING(25) - Pt last name
FirstName	STRING(20) - Patient first name
MidInit	STRING(1) - Patient middle initial
SocSec	STRING(11) - Social Security Number
Sex	STRING(1) - Gender
Marital	STRING(1) - Marital Status
Employed	STRING(1) - Employment status
Student	STRING(1) - Student status
DOB	DATE - Date of Birth
PtCategNum	LONG - fk to PtCateg category for billing, etc
ProviderNum	LONG - Primary provider/FK link to providers
IntakeDate	DATE - Date of intake
DischargeDate	DATE - Date discharged from treatment
RefSrcNum	LONG - Link to Referral source
CoPayPct	BYTE - copayment percentage
CoPayAmt	DECIMAL(6, 2) - Amount of fixed copayment
CoPayAbove	DECIMAL(6, 2) - Ins pays this amt, Pt pays above
TranNote	CSTRING(61) - Note to display on transaction screen
PtCSUNum	LONG - Default CSU num links to primary dxs
PtUBSUNum	LONG - Default UBSU num links to primary dxs
Note	CSTRING(31) - comment about patient
Note2	CSTRING(31) - second comment
SpouseLName	CSTRING(26) - Spouse last name
SpouseFName	CSTRING(21) - Spouse first name
SpouseInit	STRING(1) - Spouse initial
SpouseSSN	CSTRING(12) - Spouse soc sec number
SpouseDOB	DATE - Spouse's date of birth
SpouseEmpInd	STRING(1) - Spouse employment indicator
SpouseEmployer	CSTRING(31) - Spouse employer name
SpouseEmpAddr	CSTRING(31) - Spouse employer address
SpouseEmpCity	CSTRING(26) -
SpouseEmpState	STRING(2) -
SpouseEmpZip	CSTRING(11) -
CourtOrdered	BYTE - Treatment was court ordered
NotesExist	STRING(1) - Flag if patient has notes.
CloseDate	DATE - Date pt status changed to closed
UDDataNum	LONG - 1 to 1 link to user defined fields
ReferralDate	DATE -
FirstContactDate	DATE -
NoSchedReason	CSTRING(61) -
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Ethnic	STRING(1)	- (CM) Ethnic group
Education	BYTE	- (CM) Years of education
Allergy	CSTRING(81)	- (CM) Allergies
Health	STRING(1)	- (CM) Health status
Occnum	LONG	- (CM) fk to Occupation
LinkID	STRING(10)	- Id used in other software to identify this patient.
DiscountPct	DECIMAL(7, 2)	- Sliding scale discount percentage
DiscountLUNum	LONG	- Discount category link to Lookups.
DiscountAdjxNum	LONG	- Links to Discount adjustment
DiscountFlag	BYTE	- 0=None 1=PerCent 2=Category 3=CaseByCase
BillToLastname	STRING(25)	- Pt last name
BillToFirstname	STRING(20)	- Patient first name
BillToMidInit	STRING(1)	- Patient middle initial
BillToAddr1	CSTRING(33)	- Address line one
BillToAddr2	CSTRING(33)	- Address line two
BillToCity	CSTRING(26)	- Payor city
BillToState	STRING(2)	- Payor state
BillToZip	CSTRING(11)	- Payor postal code

PaymentsView **FILE, NAME('sos.paymentsview'), PRE(PAV)**

PAViCredType	KEY(PAV:PayorNum, PAV:Credtype, PAV:CrspInum), OPT
PAViCheckNum	KEY(PAV:PayorNum, PAV:CheckNum, PAV:CrspInum), OPT
PAViCCNum	KEY(PAV:PayorNum, PAV:CCNum, PAV:CrspInum), OPT
CrspInum	DECIMAL(7, 2) -
CrspInum	LONG -
CheckNum	LONG -
CCNum	LONG -
Credtype	CSTRING(11) -
LicNum	LONG -
LastName	STRING(25) -
FirstName	STRING(20) -
PayorNum	LONG -
Srvdesc	STRING(40) -
Provcode	STRING(3) -
Trandate	DATE -

Payors **FILE, NAME('sos.Payors'), PRE(PAY)**

PAYpkPayorNum	KEY(PAY:PayorNum), OPT, PRIMARY
PAYiCarrierName	KEY(PAY:PayorName, PAY:PayorNum), OPT
PAYiPayorName	KEY(PAY:PayorName, PAY:FirstName, PAY:MidInit, PAY:LicNum), DUP, OPT
PAYiPayorNameNum	KEY(PAY:PayorName, PAY:FirstName, PAY:MidInit, PAY:PayorNum, PAY:LicNum), OPT
PayorNum	LONG - Primary key for Payor table
LicNum	LONG -
PayorName	STRING(40) - Last name, organization, ins co
FirstName	STRING(15) - Payor first name
MidInit	STRING(1) - Payor middle initial
PayorType	STRING(1) - Patient, Insurance, Other (private) payor
Addr1	CSTRING(33) - Address line one
Addr2	CSTRING(33) - Address line two
City	CSTRING(26) - Payor city
State	STRING(2) - Payor state
Zip	CSTRING(11) - Payor postal code
Phone1Desc	CSTRING(11) - First phone description
Phone1Area	CSTRING(4) - Phone 1 area code
Phone1	CSTRING(9) - Payor first phone number
Phone1Ext	CSTRING(5) - Phone 1 extension
Phone2Desc	CSTRING(11) - Phone 2 description
Phone2Area	CSTRING(4) - Phone 2 area code

Phone2	CSTRING(9)	- Payor secondary phone number
Phone2Ext	CSTRING(5)	- Phone 2 Extension
Remarks	CSTRING(21)	- Remarks
EMail	CSTRING(61)	-
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
BillFooterFlag	BYTE	- Print bill footer
DunMsgFlag	BYTE	- Dunning message flag
BillMsg	CSTRING(81)	- Individualized billing message
CollectDate	DATE	- Date account given to collections
StmtFlag	BYTE	- Print STATEMENTS if true.

PersNotes **FILE, NAME('sos.PersNotes'), PRE(PER)**

PERiPtNumDate	KEY(PER:PtNum, PER:PnoteDate), DUP, NOCASE, OPT
PERiAlarmFDT	KEY(PER:AL_FLAG, PER:AL_DATE, PER:AL_TIME), DUP, NOCASE, OPT
PERiProviderNum	KEY(PER:ProviderNum), DUP, NOCASE, OPT
PERiEnteredBy	KEY(PER:ENTEREDBY), DUP, NOCASE, OPT
PERpkPersNoteNum	KEY(PER:PersNoteNum), NOCASE, OPT, PRIMARY
PersNoteNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) -
PtNum	LONG -
PnoteDate	DATE -
AL_FLAG	BYTE -
AL_DATE	DATE -
AL_TIME	TIME, NAME('AL_TIME NOWHERE') -
ProviderNum	LONG - Attention to provider code
ENTEREDBY	STRING(6) - User id who entered the note
PnoteText	CSTRING(2048) -

Pharmacies **FILE, NAME('sos.Pharmacies'), PRE(PHA)**

PHApkPharmNum	KEY(PHA:PharmNum), NOCASE, OPT, PRIMARY
PHAiPharmCode	KEY(PHA:PHARMCODE), NOCASE, OPT
PharmNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
PHARMCODE	STRING(8) -
PharmacyName	CSTRING(31) -
AreaCode	STRING(3) -
PhoneNumber	STRING(8) -

PopupLedgerView **FILE, NAME('sos.popupledgerview'), PRE(POP)**

POPiUnique	KEY(POP:PtNum, POP:Trandate, POP:JNum), OPT
------------	---

JNum	LONG	-
Licnum	LONG	-
Trandate	DATE	-
Amount	DECIMAL(7, 2)	-
Trantype	STRING(1)	-
PtNum	LONG	-
ProvLName	STRING(20)	-
ProvFName	STRING(15)	-
SrvDesc	STRING(40)	-

POSCodes **FILE, NAME('sos.POSCodes'), PRE(POS)**

POSpkPOSCodeNum	KEY(POS:POSCodeNum), OPT, PRIMARY
POSiDefCode	KEY(POS:DefCode), OPT
POSiPOSDesc	KEY(POS:POSDesc), OPT
POSCodeNum	LONG - Primary key value
DefCode	STRING(4) - Default place of service code
POSDesc	STRING(18) - Place of service description
MCareCode	CSTRING(5) - Medicare POS Code
MCaidCode	CSTRING(5) - Medicaid location code
BlueCode	CSTRING(5) - BCBS Code
ChampCode	CSTRING(5) - Champus POS code
ECMCode	CSTRING(5) - Electronic claims code
SpecialCode	CSTRING(5) - Special code
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Prescrips **FILE, NAME('sos.Prescrips'), PRE(PSC)**

PSCpkPrescripNum	KEY(PSC:PrescripNum), NOCASE, OPT, PRIMARY
PSCiPtFrmDate	KEY(PSC:PtNum, PSC:FRMDATE), DUP, NOCASE, OPT
PSCiMedFrmDate	KEY(PSC:MedNum, PSC:FRMDATE), DUP, NOCASE, OPT
PSCiCallPhaFrm	KEY(PSC:CALLED, PSC:PharmNum, PSC:FRMDATE), DUP, NOCASE, OPT
PrescripNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOQHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
PtNum	LONG -
FRMDATE	DATE -
TODATE	DATE -
MedNum	LONG -
DOSAGE	STRING(7) -
FREQUENCY	STRING(8) -
QUANTITY	STRING(4) -
REFILL	BYTE -
GENERIC	STRING(1) -
LABEL	STRING(1) -
CALLED	STRING(1) -
PharmNum	LONG - Primary key value
ProviderNum	LONG - fk to Providers
NOTES	CSTRING(61) - Notes
DIRECTIONS	CSTRING(255) -

ProvPayorIDs	FILE, NAME('sos.ProvPayorIDs'), PRE(PPI)
PPIpkProvPayorIDNum	KEY(PPI:ProvPayorIDNum), OPT, PRIMARY
PPIfkProviderNum	KEY(PPI:ProviderNum), DUP, OPT
PPIfkPayorNum	KEY(PPI:PayorNum), DUP, OPT
PPIProvPayor	KEY(PPI:ProviderNum, PPI:PayorNum), OPT
ProvPayorIDNum	LONG - Primary key value
ProviderNum	LONG - fk to Providers
PayorNum	LONG - Foreign key link to Payors
ProviderID	CSTRING(31) - Provider ID for detail line
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

ProvUsers	FILE, NAME('sos.ProvUsers'), PRE(PRVU)
PRVUpkProvUserNum	KEY(PRVU:ProvUserNum), OPT, PRIMARY
PRVUiUserProvider	KEY(PRVU:UserNum, PRVU:ProviderNum), OPT
ProvUserNum	LONG - Primary key value
ProviderNum	LONG -
UserNum	LONG -

Providers	FILE, NAME('sos.Providers'), PRE(PRV)
PRVpkProviderNum	KEY(PRV:ProviderNum), OPT, PRIMARY
PRVfkProvTypeNum	KEY(PRV:ProvTypeNum), DUP, OPT
PRVfkSupplierNum	KEY(PRV:SupplierNum), DUP, OPT
PRViProvCode	KEY(PRV:LicNum, PRV:ProvCode), OPT
PRViProvName	KEY(PRV:LicNum, PRV:ProvLName, PRV:ProvFName), DUP, OPT
PRViProvCategName	KEY(PRV:LicNum, PRV:ProvCateg, PRV:ProvLName, PRV:ProvFName, PRV:ProvCode), OPT
PRViPrvTypeNum	KEY(PRV:LicNum, PRV:ProvTypeNum), DUP, OPT
PRViProvCodeOnly	KEY(PRV:ProvCode), DUP, OPT
PRViProviderCode	KEY(PRV:ProviderCode), DUP, OPT
PRViEFLuNum	KEY(PRV:EFLuNum), DUP, OPT
ProviderNum	LONG - Primary key value
ProvTypeNum	LONG - Foreign link ro Provtype
LicNum	LONG - Link to License table
ProvCode	STRING(10) - Shorthand provider code
ProvLName	STRING(20) - Provider last name
ProvFName	STRING(15) - Provider first name
ProvMI	STRING(1) - Prov middle initial
Title	CSTRING(13) - Provider title
SpecialtyCode	STRING(3) -
ProvCateg	STRING(3) - Provider category
Multiplier	DECIMAL(5, 2) - Payroll multiplier
BillName	CSTRING(41) - Name for stmt & minibill
InsFormName	CSTRING(31) - Name for ins form, sig of sup
InsForm2	CSTRING(31) - 2nd line insform, sig of sup
InsForm3	CSTRING(31) - 3rd line insform, sig of sup
SSNumber	CSTRING(12) - Provider soc. sec. number
EmployerID	CSTRING(11) - Employer tax ID
ProvAdd1	CSTRING(31) - Provider address line 1
ProvAdd2	CSTRING(31) - Provider address line 2
ProvCity	CSTRING(21) - Provider city
ProvState	STRING(2) - Provider State
ProvZip	CSTRING(11) - Provider zipcode
ProvPhoneArea	CSTRING(4) -
ProvPhone	CSTRING(9) - Provider phone number

ProvPhoneExt	CSTRING(5)	- Providers extension
ECMID	CSTRING(20)	- ECM # for internal use.
DEANumber	CSTRING(20)	- Provider DEA Number - CM
LicenseNum	CSTRING(25)	- License number
SupplierNum	LONG	- FK link to Suppliers
UDDataNum	LONG	- FK link to UDData
Email	CSTRING(61)	-
ProviderID	CSTRING(31)	- Default rendering provider ID
IDQual	STRING(1)	-
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
ProviderCode	STRING(10)	- Accurate Assessment provider code
SchedulerFlag	BYTE	-
EFLuNum	LONG	- Link to lookups for Ecounter Form
HideInSched	BYTE	-

ProvType **FILE, NAME('sos.ProvType'), PRE(PRT)**

PRTpkProvTypeNum	KEY(PRT:ProvTypeNum), OPT, PRIMARY
PRTiProvTypeCode	KEY(PRT:ProvTypeCode), OPT
ProvTypeNum	LONG - Primary key value
ProvTypeCode	STRING(12) -
ProvTypeDesc	CSTRING(41) - Remark
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')
UpdUser	CSTRING(7) - User who last updated entry

PrvActRpt **FILE, NAME('SOS.PrvActRpt'), PRE(PAR)**

KEYTranDate	KEY(PAR:Trandate), DUP, OPT
KEYPostDate	KEY(PAR:PostDate), DUP, OPT
JNum	LONG -
LicNum	LONG -
Trandate	DATE -
Amount	DECIMAL(7, 2) -
Trantype	STRING(1) -
PostDate	DATE -
SortCode	LONG -
Comment1	CSTRING(21) -
Comment2	CSTRING(21) -
PtNum	LONG -
ID	CSTRING(21) -
LastName	CSTRING(26) -
FirstName	CSTRING(21) -
Units	DECIMAL(7, 2) -
Cost	DECIMAL(7, 2) -
CredType	CSTRING(11) -
Crsplamt	DECIMAL(7, 2) -
DateApplied	DATE -
PayorNum	LONG -
PayorName	CSTRING(41) -
PayorType	STRING(1) -
ProvLName	CSTRING(21) -
ProvFName	CSTRING(16) -

ProvTypeNum	LONG	-
ServiceNum	LONG	-
SrvDesc	CSTRING(41)	-
SrvCode	CSTRING(10)	-
PosCodeNum	LONG	-
DefCode	CSTRING(5)	-
CheckNum	LONG	-
ChkRefNum	CSTRING(26)	-
AdjXNum	LONG	-
Descrip	CSTRING(31)	-
AdjCode	CSTRING(4)	-
PrvNumber	LONG	-
Srvdate	DATE	-
Service	STRING(9)	-

PrvActRpt2 **FILE, NAME('SOS.PrvActRpt2'), PRE(PAR2), BINDABLE**

trandate	DATE	-
trantype	STRING(1)	-
amount	PDECIMAL(7, 2)	-
sortcode	LONG	-
comment1	STRING(20)	-
comment2	STRING(20)	-
jnum	LONG	-
daybatch	LONG	-
providernum	LONG	-
licnum	LONG	-
lastname	STRING(25)	-
firstname	STRING(20)	-
id	STRING(20)	-
balance	PDECIMAL(9, 2)	-
units	PDECIMAL(7, 2)	-
cost	PDECIMAL(7, 2)	-
credtype	STRING(10)	-
adjxnum	LONG	-
payorname	STRING(40)	-
payorfirst	STRING(15)	-
payortype	STRING(1)	-
payornum	LONG	-
srvcode	STRING(9)	-
srvdesc	STRING(40)	-
servicenum	LONG	-
lucode	STRING(12)	-
adjcode	STRING(3)	-
descrip	STRING(30)	-

PtAuths **FILE, NAME('sos.PtAuths'), PRE(PTA)**

PTAfkPtAuthNum	KEY(PTA:PtAuthNum), OPT, PRIMARY	
PTAfkPtPolNum	KEY(PTA:PtPolNum), DUP, OPT	
PTAfkProviderNum	KEY(PTA:ProviderNum), DUP, OPT	
PTAfkServiceNum	KEY(PTA:ServiceNum), DUP, OPT	
PTAiPtNum	KEY(PTA:PtNum), DUP, OPT	
PTAiPtStartDate	KEY(PTA:PtPolNum, PTA:StartDate), DUP, OPT	
PTAiPtPtAuthNum	KEY(PTA:PtPolNum, PTA:PtAuthNum), OPT	
PtAuthNum	LONG	- Primary key value
PtPolNum	LONG	- FK link to Patient Policies
ProviderNum	LONG	- Link to Providers
ServiceNum	LONG	- Link to services
PtNum	LONG	- Link to patients
AuthNum	CSTRING(31)	- Authorization number from Carrier

Descr	CSTRING(31)	- Description of this authorization
StartDate	DATE	- Starting date
EndDate	DATE	- Ending date
MaxVisits	LONG	- Maximum visits
MaxFees	DECIMAL(9, 2)	- Maximum fees
CopayType	STRING(1)	- Is copay a fee or a percentage
UsedVisits	LONG	- Visits already used
UsedFees	DECIMAL(9, 2)	- Fees already used
Status	STRING(1)	- Active, Completed, No Alert
CopayLimit1	BYTE	-
CopayLimit2	BYTE	-
CopayLimit3	BYTE	-
CopayLimit4	BYTE	-
CopayLimit5	BYTE	-
CopayAmt1	DECIMAL(7, 2)	-
CopayAmt2	DECIMAL(7, 2)	-
CopayAmt3	DECIMAL(7, 2)	-
CopayAmt4	DECIMAL(7, 2)	-
CopayAmt5	DECIMAL(7, 2)	-
CopayFLimit1	DECIMAL(9, 2)	-
CopayFLimit2	DECIMAL(9, 2)	-
CopayFLimit3	DECIMAL(9, 2)	-
CopayFLimit4	DECIMAL(9, 2)	-
CopayFLimit5	DECIMAL(9, 2)	-
Memo	CSTRING(512)	-
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
PrintOnClaim	BYTE	-

PtbyPayorView	FILE, NAME('sos.ptbypayorview'), PRE(PBP)	
PBPpkPtNum	KEY(PBP:LicNum, PBP:PayorNum, PBP:LastName, PBP:FirstName, PBP:MidInit, PBP:PtNum), OPT	
PtNum	LONG	-
LicNum	LONG	-
ID	STRING(20)	-
LastName	STRING(25)	-
FirstName	STRING(20)	-
MidInit	STRING(1)	-
Flag	BYTE	-
PayorNum	LONG	-
Balance	DECIMAL(9, 2)	-
Age0to30	DECIMAL(9, 2)	-
Age31to60	DECIMAL(9, 2)	-
Age61to90	DECIMAL(9, 2)	-
Age91to120	DECIMAL(9, 2)	-
AgeOvr120	DECIMAL(9, 2)	-

PtCats	FILE, NAME('sos.PtCats'), PRE(PTC)	
PTCpkPtCateg	KEY(PTC:PtCategNum), OPT, PRIMARY	
PTCiCategCode	KEY(PTC:CategCode), OPT	
PTCiCategDesc	KEY(PTC:CategDesc), OPT	
PtCategNum	LONG	- Primary key value
CategCode	STRING(3)	- Patient category code
CategDesc	STRING(32)	- Description of pt category
AddDate	DATE	- Date entry was created

AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

PtCMX	FILE, NAME('sos.PtCMX'), PRE(XPT)
XPTpkPtNum	KEY(XPT:PtNum), NOCASE, OPT, PRIMARY
XPTiRecDate	KEY(XPT:RECALLFLAG, XPT:RECALLDATE, XPT:RECALLTIME, XPT:PtNum), DUP, NOCASE, OPT
XPTiGroup	KEY(XPT:GroupNum, XPT:PtNum), DUP, NOCASE, OPT
PtNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
GroupNum	LONG -
PharmNum	LONG - Primary key value
RECALLDATE	DATE -
RECALLTIME	TIME -
RECREASON	CSTRING(31) -
RECALLFLAG	BYTE -
StyleNum	LONG -
UD1	CSTRING(12) -
UD2	CSTRING(33) -
UD3	CSTRING(12) -
UD4	CSTRING(33) -
UD5	CSTRING(12) -
UD6	CSTRING(33) -
UD7	CSTRING(12) -
UD8	CSTRING(41) -
UD9	CSTRING(41) -
UD10	CSTRING(41) -
AXISI_1	LONG -
AXISI_1X	CSTRING(51) -
AXISI_2	LONG -
AXISI_3	LONG -
AXISI_4	LONG -
AXISII_1	LONG -
AXISII_1X	CSTRING(51) -
AXISII_2	LONG -
AXISIII_1	LONG -
AXISIII_2	LONG -
AXISIV_1R	BYTE -
AXISIV_1D	STRING(1) -
AXISIV_1C	LONG -
AXISIV_2R	BYTE -
AXISIV_2D	STRING(1) -
AXISIV_2C	LONG -
AXISIV_3R	BYTE -
AXISIV_3D	STRING(1) -
AXISIV_3C	LONG -
AXISV_C	BYTE -
AXISV_P	BYTE -
AXISV_D	BYTE -
AXISVGRF_C	BYTE -
AXISVGRF_P	BYTE -
AXISVGRF_D	BYTE -
AXISVSFS_C	BYTE -
AXISVSFS_P	BYTE -
AXISVSFS_D	BYTE -

PtCSU FILE, NAME('sos.PtCSU'), PRE(CSU)

CSUpkCImSUNum	KEY(CSU:PtCSUNum), OPT, PRIMARY
CSUfkPtNum	KEY(CSU:PtNum), DUP, OPT
CSUfkFacilityNum	KEY(CSU:FacilityNum), DUP, OPT
CSUfkRefSrcNum	KEY(CSU:RefSrcNum), DUP, OPT
CSUiPtCSU	KEY(CSU:PtNum, CSU:PtCSUNum), OPT
CSUiPtDesc	KEY(CSU:PtNum, CSU:Descr), OPT
CSUiPtCSUType	KEY(CSU:PtNum, CSU:TypeFlag), DUP, OPT
PtCSUNum	LONG - Primary key value
PtNum	LONG - FK to Patients
Descr	STRING(30) - Description of this claim setup
TypeFlag	STRING(1) - Type of CSU
InUse	BYTE - True if attached to a transact
DateOnset	DATE - Date of illness/accident/LMP
SymptInd	STRING(1) - Symptom indicator 0/1/2
SimSymptInd	STRING(1) - Similar symptoms before Y/N
SimSymptoms	DATE - date similar symptoms appeared
DisabType	STRING(1) - Disability type
DisabFrom	DATE - Date disability began
DisabTo	DATE - Date disability ended
ENTERHOSP	DATE - Date hospital admitted patient
LEFTHOSP	DATE - Date hospital discharged pt.
Accident	STRING(1) - Accident type: no auto other
ExtAccCause	CSTRING(7) - External cause of accident (ICD "E" code
AccRespons	STRING(1) - Accident caused by another Y/N
AccidState	STRING(2) - State abbrev where accident was
AccidHour	BYTE - Hour of accident
AbuseInd	STRING(1) - Abuse indicator Y/N
JobInjury	STRING(1) - Work related injury (Y/N/U)
Dx1	LONG - Dx code 1
Dx2	LONG - Dx code 2
Dx3	LONG - Dx code 3
Dx4	LONG - Dx code 4
Dx1Desc	CSTRING(20) - Dx 1 description for box 21.
Dx2Desc	CSTRING(20) - Dx 2 description for box 21.
Dx3Desc	CSTRING(11) - Dx 3 description for box 21.
Dx4Desc	CSTRING(11) - Dx 4 description for box 21.
RefSrcNum	LONG - FK to RefSrc
FacilityNum	LONG - FK to Facilities
AccAssgn	STRING(1) - Accept assignment HCFA box 27 Y/N
McaResubNum	CSTRING(21) - Medicaid resubmission. box22
McaResubCode	CSTRING(11) - Medicaid resubmission code
OutsideLab	STRING(1) - Outside lab? (Y/N)
UBHDisposition	STRING(1) - Instream disposition indicator
UBHCaseStatus	STRING(1) -
UBHTPlanStatus	STRING(1) -
CLIANumber	CSTRING(16) -
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

PtHx FILE, NAME('sos.PtHx'), PRE(PTH)

PTHpkPtHxNum	KEY(PTH:PtHxNum), NOCASE, OPT, PRIMARY
--------------	--

PTHiPtHxTitle	KEY(PTH:PtNum, PTH:HxTitleNum), DUP, NOCASE, OPT
PTHiPtSeq	KEY(PTH:PtNum, PTH:HxSeqNum), DUP, NOCASE, OPT
PTHiPtPtHxNum	KEY(PTH:PtNum, PTH:PtHxNum), NOCASE, OPT
PtHxNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
PtNum	LONG -
HxSeqNum	SHORT -
HxTitleNum	LONG - Primary key value
PRTITLE	STRING(1) -
USER	STRING(6) - Last updated by
HxText	CSTRING(14592) - History section text

PtNotes FILE, NAME('sos.PtNotes'), PRE(PTN)

PTNpkPtNoteNum	KEY(PTN:PtNoteNum), OPT, PRIMARY
PTNfkPtNum	KEY(PTN:PtNum), DUP, OPT
PTNiPtRDateTime	KEY(PTN:PtNum, -PTN:NoteDate, PTN:NoteTime, PTN:PtNoteNum), OPT
PTNiPtDate	KEY(PTN:PtNum, PTN:NoteDate, PTN:PtNoteNum), OPT
PTNiAlarmDateUser	KEY(PTN:Alarm, PTN:AlarmDate, PTN:UserID, PTN:PtNum, PTN:PtNoteNum), OPT
PtNoteNum	LONG - Primary key value
PtNum	LONG - FK to Patients
Alarm	STRING(1) - True if alarm date, False if no
AlarmDate	DATE - Alarm date to pop notes table.
Note	CSTRING(1024) - Account note
NoteDate	DATE - Date note was written
NoteTime	TIME, NAME('NoteTime NOWHERE') - Time note was written
UserID	STRING(6) - Who wrote the note
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

PtPayors FILE, NAME('sos.PtPayors'), PRE(PTP)

PTPpkPtPayorNum	KEY(PTP:PtPayorNum), OPT, PRIMARY
PTPfkPtNum	KEY(PTP:PtNum), DUP, OPT
PTPfkPayorNum	KEY(PTP:PayorNum), DUP, OPT
PTPiPtPayor	KEY(PTP:PtNum, PTP:PayorNum), OPT
PtPayorNum	LONG - Primary key value
PtNum	LONG - FK link to Patients
PayorNum	LONG - FK link to Payors
PctPays	BYTE - Pct of fee or of pt portion to be paid
LastBillDate	DATE - Date of most recent billing
Balance	DECIMAL(9, 2) - Amount Due for this pt from this payor
Age0to30	DECIMAL(9, 2) - Aging 0 to 30 days
Age31to60	DECIMAL(9, 2) - Aging 31 to 60 days
Age61to90	DECIMAL(9, 2) - Aging 61 to 90 days
Age91to120	DECIMAL(9, 2) - Aging 91 to 120 days
AgeOvr120	DECIMAL(9, 2) - Aging 121 days and over
ChargeInt	BYTE - charge interest flag
BillFlag	BYTE - Print CLAIMS if true.
NotPayor	BYTE - Dont display in transaction payor list.
LCrSplNum	LONG - Link to last credit split for this payor

LChgSplNum	LONG	- Link to last charge split for this payor
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
LastPayDate	DATE	-
LastPayAmt	DECIMAL(9, 2)	-
AgeUnapplied	DECIMAL(9, 2)	-
PostedBal	DECIMAL(9, 2)	- Balance which does not include daysheet entries.

PtPolicies **FILE, NAME('sos.PtPolicies'), PRE(POL)**

POLpkPtPolNum	KEY(POL:PtPolNum), OPT, PRIMARY
POLfkPtPayorNum	KEY(POL:PtPayorNum), OPT
POLiPtNum	KEY(POL:PtNum), DUP, OPT
POLiInsPos	KEY(POL:PtNum, POL:InsPos), DUP, OPT
PtPolNum	LONG - Primary key value
PtNum	LONG - Link to patients
InsPos	BYTE - Policy priority - primary, secondary
PtPayorNum	LONG - FK link to PtPayors
InsdLName	CSTRING(26) - Insured last name
InsdFName	CSTRING(21) - Insured first name
InsdInit	STRING(1) - Insured middle initial
InsdID	CSTRING(31) - Insured ins. id number
RelToInsd	STRING(2) - Pt relation to insd.
InsGroup	CSTRING(31) - Policy or group number
InsAuth	CSTRING(31) - Prior auth number
SameAddrFlag	BYTE - Insd addrs same as pt flag
InsdAddr1	CSTRING(31) - Insd address line 1
InsdAddr2	CSTRING(31) - Insd address line 2
InsdCity	CSTRING(21) - Insd city
InsdState	STRING(2) - Insured state
InsdZip	CSTRING(11) - Insured zipcode
InsdPhnArea	CSTRING(4) - Insured area code
InsdPhn	CSTRING(9) - Insd phone number
InsdPhExt	CSTRING(5) - Insd phone extension
InsdDOB	DATE - Insured date of birth
InsdSex	STRING(1) - Insured sex
InsdSSN	CSTRING(12) - Insd Soc Sec Num
OthPolGrpNum	CSTRING(31) - Other policy or grp num (blk9a)
EmpSchName	CSTRING(31) - Employer or school name (blk11b)
GrpFlag	BYTE - Group or Individual Policy?
ReleaseSig	BYTE - Release of info sig on file (blk12)
ReleaseSigDate	DATE - Date release of info was signed
AssignSig	BYTE - Assignment signature on file (Blk13)
AccAssgn	STRING(1) - Accept Assignment box 26
PlanName	CSTRING(31) - Plan or program name (blk 11c)
LocUse10D	CSTRING(21) - Local use box 10d
LocUse19	CSTRING(49) - Local use box 19
McaResubCode	CSTRING(11) - 1st half of box 22 of hcfa.
McaResubNum	CSTRING(21) - 2nd half of box 22 of hcfa.
Active	DATE - Date Policy Activated.
Inactive	DATE - Date Policy Terminated.
XOver	BYTE - Crossover flag
MediGap	BYTE - Medigap policy flag
OtherIns	BYTE - Box 11d - is there other plan?
ChampusEff	DATE - Champus card effective date
ChampusExp	DATE - Champus card expiration date
ChampStatus	STRING(1) - Champus status.
ChampBranch	STRING(1) - Champus branch
ChampGrade	STRING(2) - Champus grade; for ETS.
ChampRelToSp	STRING(2) - Champus relation to sponsor.

ChampNAI	STRING(1)	- Not Avail/Zero Paymt Indic
ChampProgHc	STRING(2)	- Champus program for handicap.
ChampAmbSurg	BYTE	- Champus Ambulatory Surgery.
WCEmplAdd	CSTRING(26)	- Workers Comp. employer's addr
WCEmplCity	CSTRING(21)	- Workers Comp. employers city
WCEmplState	STRING(2)	- Worker Comp. employers state
WCEmplZip	CSTRING(11)	- Workers Comp. employers zip
WCRetToWork	STRING(1)	- Workers Comp. return to work indicator
WCPercntDis	CSTRING(4)	- Workers Comp. percent disabled
DeathStatus	STRING(1)	- Patient status, for ETS
DeathDate	DATE	- Date of death (ECM)
ETSPrintCode	STRING(1)	- Print code for ETS.
ETSRecCode	STRING(2)	- Record code for ETS.
ETSClmType2	STRING(1)	- Secondary ins claim type
UBHEAPForm	STRING(1)	- Instream UBH EAP form
UBHMemNum	CSTRING(12)	-
UDDatNum	LONG	-
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
XPinNum	CSTRING(26)	-
XGrpNum	CSTRING(26)	-
AuthRequired	BYTE	- Flag that this policy requires an auth.

PtUBSU	FILE, NAME('sos.PtUBSU'), PRE(USU)
USUpkPtUBSUNum	KEY(USU:PtUBSUNum), OPT, PRIMARY
USUfkPtNum	KEY(USU:PtNum), DUP, OPT
USUiPtPtUBSUNum	KEY(USU:PtNum, USU:PtUBSUNum), OPT
USUiPtDescr	KEY(USU:PtNum, USU:Descr), OPT
USUiIDCImType	KEY(USU:PtNum, USU:TypeFlag), DUP, OPT
PtUBSUNum	LONG - Primary key value
PtNum	LONG - FK link to Patients
Descr	STRING(30) - Description of this setup.
TypeFlag	STRING(1) - D=deflt rec ''=all other recs
InUse	BYTE - True if attached to a transact
Box2Top	CSTRING(31) -
Box2Bottom	CSTRING(32) -
Box4	CSTRING(5) -
Box7	CSTRING(5) -
Box8	CSTRING(6) -
Box9	CSTRING(5) -
Box10	CSTRING(5) -
Box11Top	CSTRING(14) -
Box11Bottom	CSTRING(15) -
Box17	DATE -
Box18	CSTRING(4) -
Box19	STRING(2) -
Box20	STRING(2) -
Box21	CSTRING(4) -
Box22	CSTRING(4) -
Box23	CSTRING(19) -
Box24	CSTRING(4) -
Box25	CSTRING(4) -
Box26	CSTRING(4) -
Box27	CSTRING(4) -
Box28	CSTRING(4) -
Box29	CSTRING(4) -
Box30	CSTRING(4) -
Box31Top	CSTRING(7) -
Box31Bottom	CSTRING(8) -

Box32ACode	CSTRING(4)	-
Box32ADate	DATE	-
Box33ACode	CSTRING(4)	-
Box33ADate	DATE	-
Box34ACode	CSTRING(4)	-
Box34ADate	DATE	-
Box35ACode	CSTRING(4)	-
Box35ADate	DATE	-
Box36ACode	CSTRING(4)	-
Box36AFrom	DATE	-
Box36ATo	DATE	-
Box32BCode	CSTRING(4)	-
Box32BDate	DATE	-
Box33BCode	CSTRING(4)	-
Box33BDate	DATE	-
Box34BCode	CSTRING(4)	-
Box34BDate	DATE	-
Box35BCode	CSTRING(4)	-
Box35BDate	DATE	-
Box36BCode	CSTRING(4)	-
Box36BFrom	DATE	-
Box36BTo	DATE	-
Box37A	CSTRING(25)	-
Box37B	CSTRING(25)	-
Box37C	CSTRING(25)	-
Box39ACode	CSTRING(4)	-
Box39AAmt	DECIMAL(9, 2)	-
Box40ACode	CSTRING(4)	-
Box40AAmt	DECIMAL(9, 2)	-
Box41ACode	CSTRING(4)	-
Box41AAmt	DECIMAL(9, 2)	-
Box39BCode	CSTRING(4)	-
Box39BAmt	DECIMAL(9, 2)	-
Box40BCode	CSTRING(4)	-
Box40BAmt	DECIMAL(9, 2)	-
Box41BCode	CSTRING(4)	-
Box41BAmt	DECIMAL(9, 2)	-
Box39CCode	CSTRING(4)	-
Box39CAmt	DECIMAL(9, 2)	-
Box40CCode	CSTRING(4)	-
Box40CAmt	DECIMAL(9, 2)	-
Box41CCode	CSTRING(4)	-
Box41CAmt	DECIMAL(9, 2)	-
Box39DCode	CSTRING(4)	-
Box39DAmt	DECIMAL(9, 2)	-
Box40DCode	CSTRING(4)	-
Box40DAmt	DECIMAL(9, 2)	-
Box41DCode	CSTRING(4)	-
Box41DAmt	DECIMAL(9, 2)	-
Box54A	DECIMAL(11, 2)	-
Box54B	DECIMAL(11, 2)	-
Box54C	DECIMAL(11, 2)	-
Box54D	DECIMAL(11, 2)	-
Box55A	DECIMAL(11, 2)	-
Box55B	DECIMAL(11, 2)	-
Box55C	DECIMAL(11, 2)	-
Box55D	DECIMAL(11, 2)	-
Box56A	CSTRING(16)	-
Box56B	CSTRING(16)	-
Box56C	CSTRING(16)	-
Box56D	CSTRING(16)	-
Box56E	CSTRING(16)	-
Box57	CSTRING(28)	-
Box66A	CSTRING(37)	-
Box66B	CSTRING(37)	-
Box66C	CSTRING(37)	-

Box67	LONG	-
Box68	LONG	-
Box69	LONG	-
Box70	LONG	-
Box71	LONG	-
Box72	LONG	-
Box73	LONG	-
Box74	LONG	-
Box75	LONG	-
Box76	LONG	-
Box77	LONG	-
Box78Top	CSTRING(4)	-
Box78Bottom	CSTRING(5)	-
Box79	STRING(2)	-
Box80Code	CSTRING(9)	-
Box80Date	DATE	-
Box81ACode	CSTRING(9)	-
Box81ADate	DATE	-
Box81BCode	CSTRING(9)	-
Box81BDate	DATE	-
Box81CCode	CSTRING(9)	-
Box81CDate	DATE	-
Box81DCode	CSTRING(9)	-
Box81DDate	DATE	-
Box81ECode	CSTRING(9)	-
Box81EDate	DATE	-
Box83AID	CSTRING(26)	-
Box83AName	CSTRING(33)	-
Box83BID	CSTRING(26)	-
Box83BName	CSTRING(33)	-
Box84A	CSTRING(49)	-
Box84B	CSTRING(49)	-
Box84C	CSTRING(49)	-
Box84D	CSTRING(49)	-
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry

PtVars **FILE, NAME('sos.PtVars'), PRE(PTV)**

PTVpkPtNum	KEY(PTV:PtNum), OPT, PRIMARY	
PtNum	LONG	- Primary key value
LastSeenBy	LONG	- Last provnum to treat pt
LastPOS	LONG	- Most recent POS/FK to POSCodes
LastSortCode	LONG	- Last SortCode used
LastSUNum	LONG	- Most recent CSU
LastSUType	STRING(1)	- Most recent UBSU
LPayorNum	LONG	- Most recent payor
LFeeDate	DATE	- Date of last fee
LFeeAmt	DECIMAL(9, 2)	- Amount of Last Fee
LSrvNum	LONG	- Most recent service
LTranDate	DATE	- Last transaction date
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry
LastNoteDate	DATE	- (CM) Date of last progress note
LastNotePrvNum	LONG	- (CM) fk to last progress note's provider
LastNoteSrvNum	LONG	- (CM) fk to service of last progress note

RefSrcs **FILE, NAME('sos.RefSrcs'), PRE(REF)**

REFpkRefSrcNum	KEY(REF:RefSrcNum), OPT, PRIMARY
REFiRefCode	KEY(REF:LicNum, REF:Shorthand), OPT
REFiRefName	KEY(REF:LicNum, REF:RefName, REF:FirstName, REF:MidInit), OPT
RefSrcNum	LONG - Primary key value
LicNum	LONG -
Shorthand	STRING(15) - Shorthand for referral source
RefType	STRING(1) - Type of Referral Source
Title	CSTRING(5) - Title
RefName	STRING(40) - Name of org or last name of individual
FirstName	CSTRING(16) - First name of referral source
MidInit	STRING(1) - Initial of Referral Source
Address1	CSTRING(36) - Address line one
Address2	CSTRING(36) - Address line two
City	CSTRING(21) - City
State	STRING(2) - State
Zip	CSTRING(11) - Postal code
AreaCode	CSTRING(4) - Telephone area code
Phone	CSTRING(9) - Telephone number
Ext	CSTRING(5) - Phone extension
DEFAULTID	CSTRING(16) - Default ID
MCID	CSTRING(16) - Medicare ID number
MDID	CSTRING(16) - Medicaid ID number
BBID	CSTRING(16) - BCBS ID number
CHID	CSTRING(16) - Champus ID number
ECMID	CSTRING(16) - Electronic Claims ID number
SPECIALID	CSTRING(16) - Other ID number
DEFAULTIDQUAL	STRING(1) - Default ID Qualifier
MCIDQual	STRING(1) - Medicare ID Qualifier
MDIDQual	STRING(1) - Medicaid ID Qualifier
BBIDQual	STRING(1) - Blue Cross Blue Shield ID Qualifier
CHIDQual	STRING(1) - Champus ID Qualifier
ECMIDQual	STRING(1) - ECM ID Qualifier
SPECIALIDQual	STRING(1) - Special ID Qualifier
Remark	CSTRING(40) - Remark
Email	CSTRING(61) -
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Reports **FILE, NAME('sos.Reports'), PRE(RPT)**

RPTpkRptNum	KEY(RPT:RptNum), OPT, PRIMARY
RPTiRptCode	KEY(RPT:RptCode), OPT
RPTiRptDesc	KEY(RPT:RptDesc, RPT:RptCode), OPT
RptNum	LONG - Unique identifier
RptCode	STRING(12) -
RptTypeNum	LONG - Link num to ReportTypes
RptDesc	STRING(40) -
SystemRpt	BYTE - System flag
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	STRING(6) -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	STRING(6) -

ReporTypes	FILE, NAME('sos.ReportType'), PRE(RTY)
RTYpkRptTypeNum	KEY(RTY:RptTypeNum), OPT, PRIMARY
RTYiRptTypeCode	KEY(RTY:RptTypeCode), OPT
RTYiRptTypeDesc	KEY(RTY:RptTypeDesc, RTY:RptTypeCode), OPT
RptTypeNum	LONG - Unique identifier
RptTypeCode	STRING(12) -
RptTypeDesc	STRING(40) -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	STRING(6) -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	STRING(6) -

Resources	FILE, NAME('SOS.Resources'), PRE(RES)
PrimaryKey	KEY(RES:ResourceNum), PRIMARY
RESiResourceCode	KEY(RES:ResourceCode)
ResourceNum	LONG -
ResourceCode	CSTRING(13) -
ResourceDesc	CSTRING(41) -
MultiSchedCode	STRING(1) - Determines how to multischedule resources
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) -

RptCfg	FILE, NAME('sos.RptCfg'), PRE(CFG)
CFGpkRptCfgNum	KEY(CFG:RptCfgNum), NOCASE, OPT, PRIMARY
CFGiRptNamePriority	KEY(CFG:RptNameNum, CFG:PRIORITY), DUP, NOCASE, OPT
RptCfgNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
RptNameNum	LONG -
PRIORITY	BYTE -
SECTIONCODE	STRING(13) -
BlockTitle	CSTRING(61) -
HxTitleNum	LONG - Primary key value

RptNames	FILE, NAME('sos.RptNames'), PRE(NAM)
NAMpkRptNameNum	KEY(NAM:RptNameNum), NOCASE, OPT, PRIMARY
NAMiDescr	KEY(NAM:DESCRIPTION), NOCASE, OPT
RptNameNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -

UpdTime	TIME	-
UpdUser	CSTRING(7)	-
DESCRIPTION	CSTRING(51)	-
SUSTR	CSTRING(255)	-

RptSections	FILE, NAME('sos.RptSections'), PRE(SEC)
SECDesc	KEY(SEC:DESCRIPTION), NOCASE
SECpkSecCode	KEY(SEC:SECTIONCODE), NOCASE, PRIMARY
SECTIONCODE	STRING(13) -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
DESCRIPTION	CSTRING(31) -

Services	FILE, NAME('sos.Services'), PRE(SRV)
SRVpkServiceNum	KEY(SRV:ServiceNum), OPT, PRIMARY
SRViSrvCode	KEY(SRV:SrvCode), OPT
SRViSrvDesc	KEY(SRV:SrvDesc), OPT
ServiceNum	LONG - Primary key value
SrvCode	STRING(9) - shorthand procedure code
SrvDesc	STRING(40) - description of procedure
IsMacro	BYTE - Option to set Service as a macro
Fee	DECIMAL(7, 2) - Default fee for service
Cost	DECIMAL(7, 2) - Default cost to provide this service
InsBillable	BYTE - Service is insurance billable
RevCode	CSTRING(6) - Revenue code (UB92 only)
CPTCode	CSTRING(6) - CPT code
CPTMod1	STRING(2) - CPT Modifier 1
CPTMod2	STRING(2) - CPT modifier 2
CPTMod3	STRING(2) - CPT modifier 3
CPTMod4	STRING(2) - CPT modifier 4
TypeOfSrv	CSTRING(4) - Type of service code for ins
CountBy	BYTE - Count sessions by entry or units
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

ServMServ	FILE, NAME('sos.ServMServ'), PRE(SMS)
SMSpkServMServNum	KEY(SMS:ServMServNum), OPT, PRIMARY
SMSfkServiceNum	KEY(SMS:ServiceNum), DUP, OPT
SMSfkServices2Num	KEY(SMS:Service2Num), DUP, OPT
SMSiServServ2	KEY(SMS:ServiceNum, SMS:Service2Num), OPT
ServMServNum	LONG - Primary key value
ServiceNum	LONG - FK link to Services
Service2Num	LONG - FK link to Services2

ServPayors	FILE, NAME('sos.ServPayors'), PRE(SRP)
-------------------	---

SRPpkServPayorNum	KEY(SRP:ServPayorNum), OPT, PRIMARY
SRPfkServiceNum	KEY(SRP:ServiceNum), DUP, OPT
SRPfkPayorNum	KEY(SRP:PayorNum), DUP, OPT
SRPfkAdjxNum	KEY(SRP:AdjXNum), DUP, OPT
SRPfkProvTypeNum	KEY(SRP:ProvTypeNum), DUP, OPT
SRPiServPayor	KEY(SRP:ServiceNum, SRP:PayorNum, SRP:ServPayorNum), OPT
SRPiServPayProv	KEY(SRP:ServiceNum, SRP:PayorNum, SRP:ProvTypeNum), DUP, OPT
ServPayorNum	LONG - Primary key value
ServiceNum	LONG - FK link to Services
PayorNum	LONG - FK link to Payors
ProvTypeNum	LONG - FK Link to ProvType
AdjXNum	LONG - FK Link to AdjustX
RevCode	CSTRING(6) - Revenue code (UB92 only)
ClaimCode	CSTRING(6) - Service Code to print on claim
Mod1	STRING(2) - Modifier 1
Mod2	STRING(2) - Modifier 2
Mod3	STRING(2) - Modifier 3
Mod4	STRING(2) - Modifier 4
TypeOfSrv	CSTRING(4) - Type of service code for claim
MaxFee	DECIMAL(7, 2) - Max allowable Fee
PlanPays	DECIMAL(7, 2) - Amt insurance plan pays
Cost	DECIMAL(7, 2) - Def cost to provide srvc on this plan
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry
UseAuthCoplay	BYTE - Flag where copay is derived
ExceptFee	DECIMAL(7, 2) - Carrier exception fee

SiteOpts	FILE, NAME('sos.SiteOpts'), PRE(SOP)
SOPpkSiteOptNum	KEY(SOP:SiteOptNum), OPT, PRIMARY
SOPiDescrip	KEY(SOP:Site, SOP:LicNum, SOP:Descrip), DUP, OPT
SiteOptNum	LONG - Primary key value
Site	LONG -
LicNum	LONG -
Descrip	STRING(30) - Description
IntVal	LONG - Integer value
StringVal	CSTRING(2049) - String value
DecVal	DECIMAL(11, 2) - Decimal value
AddDate	DATE - Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) - User who last updated entry

Sites	FILE, NAME('SOS.Sites'), PRE(SIT)
PrimaryKey	KEY(SIT:SiteNum), PRIMARY
SITiSiteCode	KEY(SIT:SiteCode)
SiteNum	LONG -
SiteCode	CSTRING(13) -
SiteName	CSTRING(41) -
Address1	CSTRING(33) -
Address2	CSTRING(33) -
City	CSTRING(21) -
State	CSTRING(6) -
Zip	CSTRING(11) -

Phone1	CSTRING(15)	-
Phone2	CSTRING(15)	-
Fax	CSTRING(15)	-
Remark	CSTRING(128)	-
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-

Stmthdr	FILE, NAME('sos.StmtHdr'), PRE(STH)
STHpkLinknum	KEY(STH:LINKNUM), OPT, PRIMARY
STHiUserLinkNum	KEY(STH:LicNum, STH:UserNum, STH:LINKNUM), OPT
STHiProv	KEY(STH:LicNum, STH:UserNum, STH:PROVLNAME, STH:PROVFNAME), DUP, OPT
LicNum	LONG -
LINKNUM	LONG -
UserNum	LONG -
SEQNUM	SHORT -
PAGE	STRING(2) -
LASTPAGE	BYTE -
PRACTICE	CSTRING(73) -
PRACADD1	CSTRING(73) -
PRACADD2	CSTRING(73) -
PRACADD3	CSTRING(73) -
PRACADD4	CSTRING(73) -
ID	CSTRING(21) -
FIRSTNAME	CSTRING(16) -
LASTNAME	CSTRING(16) -
MIDINIT	STRING(1) -
ADD1	CSTRING(41) -
ADD2	CSTRING(41) -
ADD3	CSTRING(41) -
CITY	CSTRING(21) -
STATE	STRING(2) -
ZIP	CSTRING(11) -
BILLMSG	CSTRING(81) -
RESPNAME	CSTRING(41) -
RESPADD1	CSTRING(41) -
RESPADD2	CSTRING(41) -
RESPADD3	CSTRING(41) -
RESPCITY	CSTRING(21) -
RESPSTATE	STRING(2) -
RESPZIP	CSTRING(11) -
PROVFNAME	CSTRING(16) -
PROVLNAME	CSTRING(16) -
PROVBILLNAME	CSTRING(37) -
DX1	CSTRING(7) -
DX2	CSTRING(7) -
DX3	CSTRING(7) -
DX4	CSTRING(7) -
PREVBAL	CSTRING(12) -
DATERPT	DATE -
DUEAMT	CSTRING(12) -
PENDINS	CSTRING(12) -
NEWCHRGSUM	CSTRING(11) -
NEWPAYSUM	CSTRING(11) -
NEWCREDITSUM	CSTRING(11) -
AGE30	CSTRING(12) -
AGE60	CSTRING(12) -
AGE90	CSTRING(12) -
AGE120	CSTRING(12) -
AGE120PLUS	CSTRING(12) -

DUNNMSG	CSTRING(79)	-
MSGBOT1	CSTRING(79)	-
MSGBOT2	CSTRING(79)	-
DXPROMPT	CSTRING(11)	-
PAYTHISAMT	CSTRING(16)	-
AGINGCURRENT	CSTRING(8)	-
AGINGOVER30	CSTRING(13)	-
AGINGOVER60	CSTRING(13)	-
AGINGOVER90	CSTRING(13)	-
AGINGOVER120	CSTRING(13)	-
ACCTPROMPT	CSTRING(12)	-
USERSORT	CSTRING(13)	-
USERSORT2	CSTRING(12)	-
USERSORT3	CSTRING(12)	-
NOTE	CSTRING(31)	-
NOTE2	CSTRING(31)	-
PTIUFLD1	CSTRING(41)	-
PTIUFLD2	CSTRING(41)	-
PTIUFLD3	CSTRING(41)	-
PTIUFLD4	CSTRING(41)	-
PTIUFLD5	CSTRING(41)	-
PTIUFLD6	CSTRING(41)	-
PTIUFLD7	CSTRING(41)	-
PTIUFLD8	CSTRING(41)	-
PTIUFLD9	CSTRING(41)	-
PTIUFLD10	CSTRING(41)	-
PRVUFLD1	CSTRING(41)	-
PRVUFLD2	CSTRING(41)	-
PRVUFLD3	CSTRING(41)	-
PRVUFLD4	CSTRING(41)	-
PRVUFLD5	CSTRING(41)	-
PRVUFLD6	CSTRING(41)	-
PRVUFLD7	CSTRING(41)	-
PRVUFLD8	CSTRING(41)	-
PRVUFLD9	CSTRING(41)	-
PRVUFLD10	CSTRING(41)	-
UNAPPLIEDAMT	CSTRING(12)	-
PtNum	LONG	- Primary key value
ProviderNum	LONG	- Primary key value

StmItm	FILE, NAME('sos.StmItm'), PRE(STI)
STIpKStmItmNum	KEY(STI:StmItmNum), OPT, PRIMARY
STIfkLinkNum	KEY(STI:LINKNUM), DUP, OPT
STIiUserLinkNum	KEY(STI:UserNum, STI:LINKNUM, STI:LINENUM), DUP, OPT
StmItmNum	LONG -
LINKNUM	LONG -
UserNum	LONG -
LINENUM	BYTE -
TranDate	DATE -
TranDateStr	CSTRING(11) - Tran date as string mm/dd/yyyy
FEE	CSTRING(11) -
PAYMENT	CSTRING(11) -
ADJUST	CSTRING(11) -
CREDIT	CSTRING(11) -
SRVCODE	CSTRING(10) -
CPTCODE	CSTRING(6) -
CPTMOD1	STRING(2) -
CPTMOD2	STRING(2) -
CPTMOD3	STRING(2) -
CPTMOD4	STRING(2) -
ADJCODE	STRING(2) -
SRVDESC	CSTRING(29) -
PAYDESC	CSTRING(29) -

ADJDESC	CSTRING(21)	-
UNITS	CSTRING(5)	-
POS	CSTRING(5)	-
POSDESC	CSTRING(19)	-
OTHFACIL	CSTRING(5)	-
OTHFACILDESC	CSTRING(19)	-
PAYBY	CSTRING(4)	-
DX1	CSTRING(7)	-
DX2	CSTRING(7)	-
DX3	CSTRING(7)	-
DX4	CSTRING(7)	-
PROVCODE	CSTRING(4)	-
PROVFNAME	CSTRING(16)	-
PROVLNAME	CSTRING(16)	-
PROVBILLNAME	CSTRING(33)	-
PTID	CSTRING(21)	-
PTLASTNAME	CSTRING(16)	-
PTFIRSTNAME	CSTRING(16)	-
PTMIDINIT	STRING(1)	-
COMMENT1	CSTRING(21)	-
COMMENT2	CSTRING(21)	-
TEXT	CSTRING(255)	-

Styles	FILE, NAME('sos.Styles'), PRE(STY)	
STYiStyle	KEY(STY:STYLE), NOCASE, OPT	
STYpkStyleNum	KEY(STY:StyleNum), NOCASE, OPT	
StyleNum	LONG	-
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-
STYLE	CSTRING(26)	-
USERPROMPT1	CSTRING(15)	-
USERPROMPT2	CSTRING(15)	-
USERPROMPT3	CSTRING(15)	-
USERPROMPT4	CSTRING(15)	-
USERPROMPT5	CSTRING(15)	-
USERPROMPT6	CSTRING(15)	-
USERPROMPT7	CSTRING(15)	-
USERPROMPT8	CSTRING(15)	-
USERPROMPT9	CSTRING(15)	-
USERPROMPT10	CSTRING(15)	-
TXPROMPT1	CSTRING(18)	-
TXPROMPT2	CSTRING(18)	-
TXPROMPT3	CSTRING(18)	-
TXPROMPT4	CSTRING(18)	-
TXPROMPT5	CSTRING(18)	-
TXPROMPT6	CSTRING(18)	-
TXPROMPT7	CSTRING(18)	-
TXPROMPT8	CSTRING(18)	-
TXPROMPT9	CSTRING(18)	-
TXPROMPT10	CSTRING(18)	-
TXPROMPT11	CSTRING(18)	-
TXPROMPT12	CSTRING(18)	-
UPp1	CSTRING(17)	-
UPp2	CSTRING(38)	-
UPp3	CSTRING(17)	-
UPp4	CSTRING(38)	-
UPp5	CSTRING(17)	-
UPp6	CSTRING(38)	-
UPp7	CSTRING(17)	-

UPp8	CSTRING(46)	-
UPp9	CSTRING(46)	-
UPp10	CSTRING(46)	-
TPp1	CSTRING(34)	-
TPp2	CSTRING(15)	-
TPp3	CSTRING(34)	-
TPp4	CSTRING(15)	-
TPp5	CSTRING(15)	-
TPp6	CSTRING(15)	-
TPp7	CSTRING(34)	-
TPp8	CSTRING(34)	-
UPa1	BYTE	-
UPa2	BYTE	-
UPa3	BYTE	-
UPa4	BYTE	-
UPa5	BYTE	-
UPa6	BYTE	-
UPa7	BYTE	-
UPa8	BYTE	-
UPa9	BYTE	-
UPa10	BYTE	-
TPa1	BYTE	-
TPa2	BYTE	-
TPa3	BYTE	-
TPa4	BYTE	-
TPa5	BYTE	-
TPa6	BYTE	-
TPa7	BYTE	-
TPa8	BYTE	-
TPa9	BYTE	-
TPa10	BYTE	-
TPa11	BYTE	-
TPa12	BYTE	-
UPb1	BYTE	-
UPb2	BYTE	-
UPb3	BYTE	-
UPb4	BYTE	-
UPb5	BYTE	-
UPb6	BYTE	-
UPb7	BYTE	-
UPb8	BYTE	-
UPb9	BYTE	-
UPb10	BYTE	-
TPb1	BYTE	-
TPb2	BYTE	-
TPb3	BYTE	-
TPb4	BYTE	-
TPb5	BYTE	-
TPb6	BYTE	-
TPb7	BYTE	-
TPb8	BYTE	-
TPb9	BYTE	-
TPb10	BYTE	-
TPb11	BYTE	-
TPb12	BYTE	-

Suppliers **FILE, NAME('sos.Suppliers'), PRE(SUP)**

SUPpkSupplierNum	KEY(SUP:SupplierNum), OPT, PRIMARY
SUPiSupplierName	KEY(SUP:LicNum, SUP:SupplierName, SUP:SuppFName, SUP:SuppInit), OPT
SUPiFullName	KEY(SUP:SupplierName, SUP:SuppFName, SUP:SuppInit), DUP, OPT
SupplierNum	LONG - Primary key value
LicNum	LONG -
SupplierName	STRING(32) - Supplier name or last name

SuppFName	CSTRING(21)	- Supplier first name
SuppInit	STRING(1)	- Supplier initial
SuppAddr1	CSTRING(33)	- Address line 1
SuppCity	CSTRING(21)	- Supplier City
SuppState	STRING(2)	- Supplier State
SuppZip	CSTRING(11)	- Supplier zip code
SuppPhoneArea	CSTRING(4)	- Supplier area code
SuppPhone	CSTRING(9)	- Supplier phone
SuppPhoneExt	CSTRING(5)	- Supplier phone extension
SuppSpecCode	CSTRING(4)	- Supplier specialty code
PINNum	CSTRING(26)	- Default supplier id for insfrm
GrpNum	CSTRING(26)	- Default group id for insfrm
Practice	CSTRING(81)	- Header for Bills
PracAdd1	CSTRING(81)	-
PracAdd2	CSTRING(81)	-
PracAdd3	CSTRING(81)	-
PracAdd4	CSTRING(81)	-
AddDate	DATE	- Date entry was created
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE	- Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry

SuppPayorIDs **FILE, NAME('sos.SuppPayorIDs'), PRE(SPI)**

SPIpkSuppPayorIDNum	KEY(SPI:SuppPayorIDNum), OPT, PRIMARY	
SPIfkSupplierNum	KEY(SPI:SupplierNum), DUP, OPT	
SPIfkPayorNum	KEY(SPI:PayorNum), DUP, OPT	
SPIiSuppPayor	KEY(SPI:SupplierNum, SPI:PayorNum), OPT	
SuppPayorIDNum	LONG - Primary key value	
SupplierNum	LONG - FK link to Suppliers	
PayorNum	LONG - FK link to Payors	
PINNumber	CSTRING(21) - PIN ID for claim form	
GroupNumber	CSTRING(21) - Group number for claim form	
AddDate	DATE - Date entry was created	
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	- User who created entry
UpdDate	DATE - Date of last update	
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	- User who last updated entry

Titles **FILE, NAME('sos.Titles'), PRE(TIT)**

TITpkReportName	KEY(TIT:REPORTNAME), NOCASE, OPT
REPORTNAME	STRING(8) -
AddTime	TIME -
AddDate	DATE -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
MAINTITLE	CSTRING(61) -
TITLE1	CSTRING(61) -
TITLE2	CSTRING(61) -
TITLE3	CSTRING(61) -
TITLE4	CSTRING(61) -
TITLE5	CSTRING(61) -
TITLE6	CSTRING(61) -

TPCcateg	FILE, NAME('sos.TPCateg'), PRE(TPC)
TPCiCateg	KEY(TPC:CATEGORY), NOCASE, OPT
TPCiTPCatDesc	KEY(TPC:TPCatDesc), NOCASE, OPT
TPCpkTPCategNum	KEY(TPC:TPCategNum), NOCASE, OPT, PRIMARY
TPCategNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
CATEGORY	STRING(10) -
TPCatDesc	CSTRING(31) -

TPCodes	FILE, NAME('sos.TPCodes'), PRE(COD)
CODpkTPCodeNum	KEY(COD:TPCodeNum), NOCASE, OPT, PRIMARY
CODiTypCatCode	KEY(COD:TYPE, COD:CATEGORY, COD:CODE), NOCASE, OPT
CODiTypCatDesc	KEY(COD:TYPE, COD:CATEGORY, COD:DESCRIP), DUP, NOCASE, OPT
CODiTypCode	KEY(COD:TYPE, COD:CODE), NOCASE, OPT
CODiCat	KEY(COD:CATEGORY, COD:TPCodeNum), DUP, NOCASE, OPT
TPCodeNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
TYPE	STRING(1) -
CODE	STRING(12) -
CATEGORY	STRING(10) -
DESCRIP	CSTRING(61) -

TxPlans	FILE, NAME('sos.TxPlans'), PRE(TXP)
TPLpkTPlanNum	KEY(TXP:TPlanNum), NOCASE, OPT, PRIMARY
TPLiTypPtDateCode	KEY(TXP:TYPE, TXP:PtNum, TXP:DATE, TXP:TPCodeNum), NOCASE, OPT
TPLiPtTblPriority	KEY(TXP:PtNum, TXP:TABLE, TXP:PRIORITY), DUP, NOCASE, OPT
TPLiTypPtDate	KEY(TXP:TYPE, TXP:PtNum, TXP:DATE), DUP, NOCASE, OPT
TxPlanNum	LONG -
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOWHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
PtNum	LONG -
TABLE	BYTE -
DATE	DATE -
TYPE	STRING(1) -
TPCodeNum	LONG - Primary key value
RELATED	STRING(12) -
PRIORITY	SHORT -
USER	STRING(6) - Last updated by
TPText	CSTRING(1024) -

TxNotes	FILE, NAME('sos.TxNotes'), PRE(TXH)
----------------	--

TXHpkTxNoteNum	KEY(TXH:TxNoteNum), NOCASE, OPT, PRIMARY
TXHiPtDatePrv	KEY(TXH:PtNum, TXH:DATE, TXH:ProviderNum), DUP, NOCASE, OPT
TXHiPtDate	KEY(TXH:PtNum, TXH:DATE), DUP, NOCASE, OPT
TxNoteNum	LONG - Primary key value
AddDate	DATE -
AddTime	TIME -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME -
UpdUser	CSTRING(7) -
PtNum	LONG -
DATE	DATE -
ProviderNum	LONG - Link to providers table
DxNum	LONG - Primary key value
ServiceNum	LONG - Link to Services Table
PRIPROB	LONG -
PROB2	LONG -
PROB3	LONG -
PROB4	LONG -
PRIGOAL	LONG -
GOAL2	LONG -
GOAL3	LONG -
GOAL4	LONG -
TXP1	CSTRING(29) -
TXP2	CSTRING(10) -
TXP3	CSTRING(29) -
TXP4	CSTRING(10) -
TXP5	CSTRING(10) -
TXP6	CSTRING(10) -
TXP7	CSTRING(29) -
TXP8	CSTRING(29) -
TXP9	CSTRING(65) -
TXP10	CSTRING(65) -
TXP11	CSTRING(65) -
TXP12	CSTRING(65) -
CMAuthNum1	LONG -
CMAuthNum2	LONG -
USER	STRING(6) - Last updated by
TxNoteText	CSTRING(7168) -

Ubhdr **FILE, NAME('sos.UbHdr'), PRE(UBH)**

UBHpkLinkNum	KEY(UBH:LinkNum), OPT, PRIMARY
UBHiUserLinkNum	KEY(UBH:LicNum, UBH:UserNum, UBH:LinkNum), OPT
UBHiInscOp	KEY(UBH:LicNum, UBH:UserNum, UBH:PINSNAME, UBH:PTLASTNAME, UBH:PTFIRSTNAME, UBH:PTMIDINIT, UBH:PTID), DUP, OPT
LicNum	LONG -
LinkNum	LONG -
UserNum	LONG - Link to OMUser
BOX2TOP	CSTRING(31) -
BOX2BOTTOM	CSTRING(32) -
BOX4	CSTRING(5) -
BOX6FROM	CSTRING(7) -
BOX6TO	CSTRING(7) -
BOX7	CSTRING(5) -
BOX8	CSTRING(6) -
BOX9	CSTRING(5) -
BOX10	CSTRING(5) -
BOX11TOP	CSTRING(14) -
BOX11BOTTOM	CSTRING(15) -
BOX17	CSTRING(7) -
BOX18	CSTRING(4) -
BOX19	STRING(2) -
BOX20	STRING(2) -

BOX21	CSTRING(4)	-
BOX22	CSTRING(4)	-
BOX23	CSTRING(19)	-
BOX24	CSTRING(4)	-
BOX25	CSTRING(4)	-
BOX26	CSTRING(4)	-
BOX27	CSTRING(4)	-
BOX28	CSTRING(4)	-
BOX29	CSTRING(4)	-
BOX30	CSTRING(4)	-
BOX31TOP	CSTRING(7)	-
BOX31BOTTOM	CSTRING(8)	-
BOX32ACODE	CSTRING(4)	-
BOX32ADATE	CSTRING(7)	-
BOX33ACODE	CSTRING(4)	-
BOX33ADATE	CSTRING(7)	-
BOX34ACODE	CSTRING(4)	-
BOX34ADATE	CSTRING(7)	-
BOX35ACODE	CSTRING(4)	-
BOX35ADATE	CSTRING(7)	-
BOX36ACODE	CSTRING(4)	-
BOX36AFROM	CSTRING(7)	-
BOX36ATO	CSTRING(7)	-
BOX32BCODE	CSTRING(4)	-
BOX32BDATE	CSTRING(7)	-
BOX33BCODE	CSTRING(4)	-
BOX33BDATE	CSTRING(7)	-
BOX34BCODE	CSTRING(4)	-
BOX34BDATE	CSTRING(7)	-
BOX35BCODE	CSTRING(4)	-
BOX35BDATE	CSTRING(7)	-
BOX36BCODE	CSTRING(4)	-
BOX36BFROM	CSTRING(7)	-
BOX36BTO	CSTRING(7)	-
BOX37A	CSTRING(25)	-
BOX37B	CSTRING(25)	-
BOX37C	CSTRING(25)	-
BOX38A	CSTRING(41)	-
BOX38B	CSTRING(41)	-
BOX38C	CSTRING(41)	-
BOX38D	CSTRING(41)	-
BOX38E	CSTRING(41)	-
BOX39ACODE	CSTRING(4)	-
BOX39AAMT	DECIMAL(9, 2)	-
BOX40ACODE	CSTRING(4)	-
BOX40AAMT	DECIMAL(9, 2)	-
BOX41ACODE	CSTRING(4)	-
BOX41AAMT	DECIMAL(9, 2)	-
BOX39BCODE	CSTRING(4)	-
BOX39BAMT	DECIMAL(9, 2)	-
BOX40BCODE	CSTRING(4)	-
BOX40BAMT	DECIMAL(9, 2)	-
BOX41BCODE	CSTRING(4)	-
BOX41BAMT	DECIMAL(9, 2)	-
BOX39CCODE	CSTRING(4)	-
BOX39CAMT	DECIMAL(9, 2)	-
BOX40CCODE	CSTRING(4)	-
BOX40CAMT	DECIMAL(9, 2)	-
BOX41CCODE	CSTRING(4)	-
BOX41CAMT	DECIMAL(9, 2)	-
BOX39DCODE	CSTRING(4)	-
BOX39DAMT	DECIMAL(9, 2)	-
BOX40DCODE	CSTRING(4)	-
BOX40DAMT	DECIMAL(9, 2)	-
BOX41DCODE	CSTRING(4)	-
BOX41DAMT	DECIMAL(9, 2)	-

BOX54A	DECIMAL(11, 2)	-
BOX54B	DECIMAL(11, 2)	-
BOX54C	DECIMAL(11, 2)	-
BOX54D	DECIMAL(11, 2)	-
BOX55A	DECIMAL(11, 2)	-
BOX55B	DECIMAL(11, 2)	-
BOX55C	DECIMAL(11, 2)	-
BOX55D	DECIMAL(11, 2)	-
BOX56A	CSTRING(16)	-
BOX56B	CSTRING(16)	-
BOX56C	CSTRING(16)	-
BOX56D	CSTRING(16)	-
BOX56E	CSTRING(16)	-
BOX57	CSTRING(28)	-
BOX66A	CSTRING(37)	-
BOX66B	CSTRING(37)	-
BOX66C	CSTRING(37)	-
BOX67	CSTRING(8)	-
BOX68	CSTRING(8)	-
BOX69	CSTRING(8)	-
BOX70	CSTRING(8)	-
BOX71	CSTRING(8)	-
BOX72	CSTRING(8)	-
BOX73	CSTRING(8)	-
BOX74	CSTRING(8)	-
BOX75	CSTRING(8)	-
BOX76	CSTRING(8)	-
BOX77	CSTRING(8)	-
BOX78TOP	CSTRING(4)	-
BOX78BOTTOM	CSTRING(5)	-
BOX79	STRING(2)	-
BOX80CODE	CSTRING(9)	-
BOX80DATE	CSTRING(7)	-
BOX81ACODE	CSTRING(9)	-
BOX81ADATE	CSTRING(7)	-
BOX81BCODE	CSTRING(9)	-
BOX81BDATE	CSTRING(7)	-
BOX81CCODE	CSTRING(9)	-
BOX81CDATE	CSTRING(7)	-
BOX81DCODE	CSTRING(9)	-
BOX81DDATE	CSTRING(7)	-
BOX81ECODE	CSTRING(9)	-
BOX81EDATE	CSTRING(7)	-
BOX83AID	CSTRING(26)	-
BOX83ANAME	CSTRING(33)	-
BOX83BID	CSTRING(26)	-
BOX83BNAME	CSTRING(33)	-
BOX84A	CSTRING(49)	-
BOX84B	CSTRING(49)	-
BOX84C	CSTRING(49)	-
BOX84D	CSTRING(49)	-
DATERPT	DATE	-
SUPPLIER	CSTRING(31)	-
INSFORMNAME	CSTRING(31)	-
PROVLNAME	CSTRING(16)	-
PROVFNAME	CSTRING(16)	-
PROVADD1	CSTRING(31)	-
PROVCITY	CSTRING(21)	-
PROVSTATE	STRING(2)	-
PROVZIP	CSTRING(11)	-
PROVPHONE	CSTRING(14)	-
SUPPINNUM	CSTRING(15)	-
SUPGRPNUM	CSTRING(17)	-
TAXID	CSTRING(12)	-
PTID	CSTRING(21)	-
PTLASTNAME	CSTRING(16)	-

PTFIRSTNAME	CSTRING(16)	-
PTMIDINIT	STRING(1)	-
PTADDRESS	CSTRING(52)	-
PTDOB	CSTRING(9)	-
PTSEX	STRING(1)	-
PTMARITAL	STRING(1)	-
PINSCONAME	CSTRING(27)	-
PINSFLAG	STRING(1)	-
PINSID	CSTRING(21)	-
PNAMEINSD	CSTRING(31)	-
PINSDADD	CSTRING(26)	-
PINSDCITY	CSTRING(21)	-
PINSDSTATE	STRING(2)	-
PINSDZIP	CSTRING(11)	-
PPROVNUM	CSTRING(13)	-
PRELOFINFO	STRING(1)	-
PACASSGN	STRING(1)	-
PRELTOINS	STRING(2)	-
PPLANNAME	CSTRING(16)	-
PINSGROUP	CSTRING(19)	-
PINSAUTH	CSTRING(20)	-
PEMPLOYED	STRING(1)	-
PEMPLOYER	CSTRING(26)	-
SINSCONAME	CSTRING(27)	-
SINSFLAG	STRING(1)	-
SINSID	CSTRING(21)	-
SNAMEINSD	CSTRING(31)	-
SINSDADD	CSTRING(26)	-
SINSDCITY	CSTRING(21)	-
SINSDSTATE	STRING(2)	-
SINSDZIP	CSTRING(11)	-
SPROVNUM	CSTRING(13)	-
SRELOFINFO	STRING(1)	-
SACASSGN	STRING(1)	-
SRELTOINS	STRING(2)	-
SPLANNAME	CSTRING(16)	-
SINSGROUP	CSTRING(19)	-
SINSAUTH	CSTRING(20)	-
SEMPLOYED	STRING(1)	-
SEMPLOYER	CSTRING(26)	-
TINSCONAME	CSTRING(27)	-
TINSFLAG	STRING(1)	-
TINSID	CSTRING(21)	-
TNAMEINSD	CSTRING(31)	-
TINSDADD	CSTRING(26)	-
TINSDCITY	CSTRING(21)	-
TINSDSTATE	STRING(2)	-
TINSDZIP	CSTRING(11)	-
TPROVNUM	CSTRING(13)	-
TRELOFINFO	STRING(1)	-
TACASSGN	STRING(1)	-
TRELTOINS	STRING(2)	-
TPLANNAME	CSTRING(16)	-
TINSGROUP	CSTRING(19)	-
TINSAUTH	CSTRING(20)	-
TEMPLOYED	STRING(1)	-
TEMPLOYER	CSTRING(26)	-

UbItm **FILE, NAME('sos.UbItm'), PRE(UBI)**

UBIpKUbItmNum	KEY(UBI:UbItmNum), OPT, PRIMARY
UBIfkLinkNum	KEY(UBI:LinkNum), DUP, OPT
UBIiUserLinkNum	KEY(UBI:UserNum, UBI:LinkNum, UBI:LINENUM, UBI:TODATE), DUP, OPT
UbItmNum	LONG -

LinkNum	LONG	-
UserNum	LONG	- Link to OMUser
LINENUM	BYTE	-
FRDATE	DATE	-
FRDATEMMDDYY	CSTRING(7)	-
TODATE	DATE	-
TODATEMMDDYY	CSTRING(7)	-
REVCODE	CSTRING(6)	-
CPTDESC	CSTRING(26)	-
CPT	CSTRING(6)	-
CPTMOD1	STRING(2)	-
CPTMOD2	STRING(2)	-
CPTMOD3	STRING(2)	-
CPTMOD4	STRING(2)	-
UNITS	CSTRING(8)	-
FEE	CSTRING(12)	-
FEENOTCOVERD	CSTRING(12)	-
BOX49	CSTRING(6)	-

UDConfig **FILE, NAME('sos.UDConfig'), PRE(UDC)**

UDCpkUDConfigNum	KEY(UDC:UDConfigNum), NOCASE, OPT, PRIMARY	
UDCiTypePos	KEY(UDC:Type, UDC:SubType, UDC:Position), OPT	
UDConfigNum	LONG	- Primary key field
Type	STRING(12)	- File prefix user defined field belongs to.
SubType	LONG	- For policy ud fields only, links to a payor num.
Position	SHORT	- Orders prompts (Prompt1, Prompt2, etc).
UDPrompt	CSTRING(129)	- Prompt text that the user enters.
Picture	CSTRING(41)	- Entry picture for the data field.
UDList	CSTRING(1024)	- Requires validation from user entered list.
Req	BYTE	- Entry is required.
AddDate	DATE	-
AddTime	TIME	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME	-
UpdUser	CSTRING(7)	-

UDDataCre **FILE, NAME('sos.UDDataCre'), PRE(UDDCRE)**

UDDpkUDDDataNum	KEY(UDDCRE:UDDDataNum), OPT, PRIMARY	
UDDDataNum	LONG	-
Fld1	CSTRING(41)	-
Fld2	CSTRING(41)	-
Fld3	CSTRING(41)	-
Fld4	CSTRING(41)	-
Fld5	CSTRING(41)	-
Fld6	CSTRING(41)	-
Fld7	CSTRING(41)	-
Fld8	CSTRING(41)	-
Fld9	CSTRING(41)	-
Fld10	CSTRING(41)	-
Fld11	CSTRING(41)	-
Fld12	CSTRING(41)	-
Fld13	CSTRING(41)	-
Fld14	CSTRING(41)	-
Fld15	CSTRING(41)	-
Fld16	CSTRING(41)	-
Fld17	CSTRING(41)	-
Fld18	CSTRING(41)	-
Fld19	CSTRING(41)	-

Fld20	CSTRING(41)	-
Fld21	CSTRING(41)	-
Fld22	CSTRING(41)	-
Fld23	CSTRING(41)	-
Fld24	CSTRING(41)	-
Fld25	CSTRING(41)	-
Fld26	CSTRING(41)	-
Fld27	CSTRING(41)	-
Fld28	CSTRING(41)	-
Fld29	CSTRING(41)	-
Fld30	CSTRING(41)	-
Fld31	CSTRING(41)	-
Fld32	CSTRING(41)	-
Fld33	CSTRING(41)	-
Fld34	CSTRING(41)	-
Fld35	CSTRING(41)	-
Fld36	CSTRING(41)	-
Fld37	CSTRING(41)	-
Fld38	CSTRING(41)	-
Fld39	CSTRING(41)	-
Fld40	CSTRING(41)	-
Fld41	CSTRING(41)	-
Fld42	CSTRING(41)	-
Fld43	CSTRING(41)	-
Fld44	CSTRING(41)	-
Fld45	CSTRING(41)	-
Fld46	CSTRING(41)	-
Fld47	CSTRING(41)	-
Fld48	CSTRING(41)	-
Fld49	CSTRING(41)	-
Fld50	CSTRING(41)	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

UDDatals	FILE, NAME('sos.UDDatals'), PRE(UDDINS)
UDDpkUDDDataNum	KEY(UDDINS:UDDDataNum), OPT, PRIMARY
UDDDataNum	LONG -
Fld1	CSTRING(41) -
Fld2	CSTRING(41) -
Fld3	CSTRING(41) -
Fld4	CSTRING(41) -
Fld5	CSTRING(41) -
Fld6	CSTRING(41) -
Fld7	CSTRING(41) -
Fld8	CSTRING(41) -
Fld9	CSTRING(41) -
Fld10	CSTRING(41) -
Fld11	CSTRING(41) -
Fld12	CSTRING(41) -
Fld13	CSTRING(41) -
Fld14	CSTRING(41) -
Fld15	CSTRING(41) -
Fld16	CSTRING(41) -
Fld17	CSTRING(41) -
Fld18	CSTRING(41) -
Fld19	CSTRING(41) -
Fld20	CSTRING(41) -
Fld21	CSTRING(41) -
Fld22	CSTRING(41) -

Fld23	CSTRING(41)	-
Fld24	CSTRING(41)	-
Fld25	CSTRING(41)	-
Fld26	CSTRING(41)	-
Fld27	CSTRING(41)	-
Fld28	CSTRING(41)	-
Fld29	CSTRING(41)	-
Fld30	CSTRING(41)	-
Fld31	CSTRING(41)	-
Fld32	CSTRING(41)	-
Fld33	CSTRING(41)	-
Fld34	CSTRING(41)	-
Fld35	CSTRING(41)	-
Fld36	CSTRING(41)	-
Fld37	CSTRING(41)	-
Fld38	CSTRING(41)	-
Fld39	CSTRING(41)	-
Fld40	CSTRING(41)	-
Fld41	CSTRING(41)	-
Fld42	CSTRING(41)	-
Fld43	CSTRING(41)	-
Fld44	CSTRING(41)	-
Fld45	CSTRING(41)	-
Fld46	CSTRING(41)	-
Fld47	CSTRING(41)	-
Fld48	CSTRING(41)	-
Fld49	CSTRING(41)	-
Fld50	CSTRING(41)	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

UDDDataJou	FILE, NAME('sos.UDDDataJou'), PRE(UDDJOU)	
UDDpkUDDDataNum	KEY(UDDJOU:UDDDataNum), OPT, PRIMARY	
UDDDataNum	LONG	-
Fld1	CSTRING(41)	-
Fld2	CSTRING(41)	-
Fld3	CSTRING(41)	-
Fld4	CSTRING(41)	-
Fld5	CSTRING(41)	-
Fld6	CSTRING(41)	-
Fld7	CSTRING(41)	-
Fld8	CSTRING(41)	-
Fld9	CSTRING(41)	-
Fld10	CSTRING(41)	-
Fld11	CSTRING(41)	-
Fld12	CSTRING(41)	-
Fld13	CSTRING(41)	-
Fld14	CSTRING(41)	-
Fld15	CSTRING(41)	-
Fld16	CSTRING(41)	-
Fld17	CSTRING(41)	-
Fld18	CSTRING(41)	-
Fld19	CSTRING(41)	-
Fld20	CSTRING(41)	-
Fld21	CSTRING(41)	-
Fld22	CSTRING(41)	-
Fld23	CSTRING(41)	-
Fld24	CSTRING(41)	-
Fld25	CSTRING(41)	-

Fld26	CSTRING(41)	-
Fld27	CSTRING(41)	-
Fld28	CSTRING(41)	-
Fld29	CSTRING(41)	-
Fld30	CSTRING(41)	-
Fld31	CSTRING(41)	-
Fld32	CSTRING(41)	-
Fld33	CSTRING(41)	-
Fld34	CSTRING(41)	-
Fld35	CSTRING(41)	-
Fld36	CSTRING(41)	-
Fld37	CSTRING(41)	-
Fld38	CSTRING(41)	-
Fld39	CSTRING(41)	-
Fld40	CSTRING(41)	-
Fld41	CSTRING(41)	-
Fld42	CSTRING(41)	-
Fld43	CSTRING(41)	-
Fld44	CSTRING(41)	-
Fld45	CSTRING(41)	-
Fld46	CSTRING(41)	-
Fld47	CSTRING(41)	-
Fld48	CSTRING(41)	-
Fld49	CSTRING(41)	-
Fld50	CSTRING(41)	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

UDDDataPol	FILE, NAME('sos.UDDDataPol'), PRE(UDDPOL)
UDDPkUDDDataNum	KEY(UDDPOL:UDDDataNum), OPT, PRIMARY
UDDDataNum	LONG -
Fld1	CSTRING(41) -
Fld2	CSTRING(41) -
Fld3	CSTRING(41) -
Fld4	CSTRING(41) -
Fld5	CSTRING(41) -
Fld6	CSTRING(41) -
Fld7	CSTRING(41) -
Fld8	CSTRING(41) -
Fld9	CSTRING(41) -
Fld10	CSTRING(41) -
Fld11	CSTRING(41) -
Fld12	CSTRING(41) -
Fld13	CSTRING(41) -
Fld14	CSTRING(41) -
Fld15	CSTRING(41) -
Fld16	CSTRING(41) -
Fld17	CSTRING(41) -
Fld18	CSTRING(41) -
Fld19	CSTRING(41) -
Fld20	CSTRING(41) -
Fld21	CSTRING(41) -
Fld22	CSTRING(41) -
Fld23	CSTRING(41) -
Fld24	CSTRING(41) -
Fld25	CSTRING(41) -
Fld26	CSTRING(41) -
Fld27	CSTRING(41) -
Fld28	CSTRING(41) -

Fld29	CSTRING(41)	-
Fld30	CSTRING(41)	-
Fld31	CSTRING(41)	-
Fld32	CSTRING(41)	-
Fld33	CSTRING(41)	-
Fld34	CSTRING(41)	-
Fld35	CSTRING(41)	-
Fld36	CSTRING(41)	-
Fld37	CSTRING(41)	-
Fld38	CSTRING(41)	-
Fld39	CSTRING(41)	-
Fld40	CSTRING(41)	-
Fld41	CSTRING(41)	-
Fld42	CSTRING(41)	-
Fld43	CSTRING(41)	-
Fld44	CSTRING(41)	-
Fld45	CSTRING(41)	-
Fld46	CSTRING(41)	-
Fld47	CSTRING(41)	-
Fld48	CSTRING(41)	-
Fld49	CSTRING(41)	-
Fld50	CSTRING(41)	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

UDDDataPrv	FILE, NAME('sos.UDDDataPrv'), PRE(UDDPRV)
UDDpkUDDDataNum	KEY(UDDPRV:UDDDataNum), OPT, PRIMARY
UDDDataNum	LONG -
Fld1	CSTRING(41) -
Fld2	CSTRING(41) -
Fld3	CSTRING(41) -
Fld4	CSTRING(41) -
Fld5	CSTRING(41) -
Fld6	CSTRING(41) -
Fld7	CSTRING(41) -
Fld8	CSTRING(41) -
Fld9	CSTRING(41) -
Fld10	CSTRING(41) -
Fld11	CSTRING(41) -
Fld12	CSTRING(41) -
Fld13	CSTRING(41) -
Fld14	CSTRING(41) -
Fld15	CSTRING(41) -
Fld16	CSTRING(41) -
Fld17	CSTRING(41) -
Fld18	CSTRING(41) -
Fld19	CSTRING(41) -
Fld20	CSTRING(41) -
Fld21	CSTRING(41) -
Fld22	CSTRING(41) -
Fld23	CSTRING(41) -
Fld24	CSTRING(41) -
Fld25	CSTRING(41) -
Fld26	CSTRING(41) -
Fld27	CSTRING(41) -
Fld28	CSTRING(41) -
Fld29	CSTRING(41) -
Fld30	CSTRING(41) -
Fld31	CSTRING(41) -

Fld32	CSTRING(41)	-
Fld33	CSTRING(41)	-
Fld34	CSTRING(41)	-
Fld35	CSTRING(41)	-
Fld36	CSTRING(41)	-
Fld37	CSTRING(41)	-
Fld38	CSTRING(41)	-
Fld39	CSTRING(41)	-
Fld40	CSTRING(41)	-
Fld41	CSTRING(41)	-
Fld42	CSTRING(41)	-
Fld43	CSTRING(41)	-
Fld44	CSTRING(41)	-
Fld45	CSTRING(41)	-
Fld46	CSTRING(41)	-
Fld47	CSTRING(41)	-
Fld48	CSTRING(41)	-
Fld49	CSTRING(41)	-
Fld50	CSTRING(41)	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

UDDDataPt	FILE, NAME('sos.UDDDataPt'), PRE(UDDPT)	
UDDpkUDDDataNum	KEY(UDDPT:UDDDataNum), OPT, PRIMARY	
UDDDataNum	LONG	-
Fld1	CSTRING(41)	-
Fld2	CSTRING(41)	-
Fld3	CSTRING(41)	-
Fld4	CSTRING(41)	-
Fld5	CSTRING(41)	-
Fld6	CSTRING(41)	-
Fld7	CSTRING(41)	-
Fld8	CSTRING(41)	-
Fld9	CSTRING(41)	-
Fld10	CSTRING(41)	-
Fld11	CSTRING(41)	-
Fld12	CSTRING(41)	-
Fld13	CSTRING(41)	-
Fld14	CSTRING(41)	-
Fld15	CSTRING(41)	-
Fld16	CSTRING(41)	-
Fld17	CSTRING(41)	-
Fld18	CSTRING(41)	-
Fld19	CSTRING(41)	-
Fld20	CSTRING(41)	-
Fld21	CSTRING(41)	-
Fld22	CSTRING(41)	-
Fld23	CSTRING(41)	-
Fld24	CSTRING(41)	-
Fld25	CSTRING(41)	-
Fld26	CSTRING(41)	-
Fld27	CSTRING(41)	-
Fld28	CSTRING(41)	-
Fld29	CSTRING(41)	-
Fld30	CSTRING(41)	-
Fld31	CSTRING(41)	-
Fld32	CSTRING(41)	-
Fld33	CSTRING(41)	-
Fld34	CSTRING(41)	-

Fld35	CSTRING(41)	-
Fld36	CSTRING(41)	-
Fld37	CSTRING(41)	-
Fld38	CSTRING(41)	-
Fld39	CSTRING(41)	-
Fld40	CSTRING(41)	-
Fld41	CSTRING(41)	-
Fld42	CSTRING(41)	-
Fld43	CSTRING(41)	-
Fld44	CSTRING(41)	-
Fld45	CSTRING(41)	-
Fld46	CSTRING(41)	-
Fld47	CSTRING(41)	-
Fld48	CSTRING(41)	-
Fld49	CSTRING(41)	-
Fld50	CSTRING(41)	-
AddDate	DATE	-
AddTime	TIME, NAME('AddTime NOWHERE')	-
AddUser	CSTRING(7)	-
UpdDate	DATE	-
UpdTime	TIME, NAME('UpdTime NOWHERE')	-
UpdUser	CSTRING(7)	-

UDLists	FILE, NAME('sos.UDLists'), PRE(UDL)
UDLpkUDListNum	KEY(UDL:UDListNum), OPT, PRIMARY
UDLiName	KEY(UDL:LicNum, UDL:Name), OPT
UDListNum	LONG - Primary key value
LicNum	LONG -
Name	STRING(8) - Name of the list
Remark	CSTRING(31) -
AddDate	DATE - Date created
AddTime	TIME, NAME('AddTime NOWHERE')
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')
UpdUser	CSTRING(7) - User who last updated entry

UDLItems	FILE, NAME('sos.UDLItems'), PRE(UDI)
UDIpKUDListItemNum	KEY(UDI:UDListItemNum), OPT, PRIMARY
UDIfkPtNum	KEY(UDI:PtNum), DUP, OPT
UDIfkPayorNum	KEY(UDI:PayorNum), DUP, OPT
UDIfkUDListNum	KEY(UDI:UDListNum), DUP, OPT
UDListItemNum	LONG - Primary key value
UDListNum	LONG - FK link to UDLists
PtNum	LONG - FK link to Patients
PayorNum	LONG - FK link to Payors
AddDate	DATE - Date done
AddTime	TIME, NAME('AddTime NOWHERE')
AddUser	CSTRING(7) - User who created entry
UpdDate	DATE - Date of last update
UpdTime	TIME, NAME('UpdTime NOWHERE')
UpdUser	CSTRING(7) - User who last updated entry

USCats	FILE, NAME('sos.USCats'), PRE(UCG)
UCGpkUSCateNum	KEY(UCG:USCateNum), OPT, PRIMARY
UCGiCateCode	KEY(UCG:Flag, UCG:CateCode), OPT

UCGiCategDesc	KEY(UCG:Flag, UCG:CategDesc), OPT
USCategNum	LONG - Internal Unique ID
CategCode	CSTRING(13) - Shorthand code
CategDesc	CSTRING(31) - Description
AddDate	DATE -
AddTime	TIME, NAME('AddTime NOQHERE') -
AddUser	CSTRING(7) -
UpdDate	DATE -
UpdTime	TIME, NAME('UpdTime NOWHERE') -
UpdUser	CSTRING(7) -
Flag	BYTE -